

Dealer Price List, Better Light and Power, 04-06-09

GENERAC PRICELIST - Diesel, Natural Gas, Propane and Gasoline

Section 1: 1.8kW-200kW -- 120/240V 1ph Portable Gasoline Generators, Manual Transfer Switch, and Standby Permanent Generators, Transfer Switches, Options and Services

Section 2: 10kW-600kW -- 120/208V 3ph Standby Permanent Generators, Transfer Switches, Options and Services

Section 3: 10kW-1000kW -- 277/480V 3ph Standby Permanent Generators, Transfer Switches, Options and Services

Section 4: 10kW-600kW -- 120/240V 3ph Standby Permanent Generators, Transfer Switches, Options and Services

Section 5: 100kW-9000kW -- 120/208V 3ph & 277/480V 3ph Standby Modular Generators, Transfer Switches, Options and Services

BALDOR PRICELIST - Diesel

Section 6: 18kW-320kW/400kVA -- Mobile Light Towers, Towable Diesel Generators, Options and Services

QT Generator Kits - Natural Gas and Propane

Section 7: 22kW-150kW -- 120/240V 1ph, 3ph, 120/208V & 277/480V 3ph Permanent Generator Kits

How to use this price list:

- A. **FIRST - VOLTAGE:** For standby generators and transfer switches, first determine the voltage you require. Go to the section for that voltage.
- B. **SECOND - KW:** Within each section, generators are presented in order of kW (kilowatt) size, and transfer switches in order of Amperage.
- C. **THIRD - FUEL:** Within each kW size, the natural gas-fueled generators are presented first, then the propane-fueled, the diesel-fueled, and the Bi-Fuel (Diesel/Nat. Gas).
PROPANE CONVERSION: Since gaseous generators of 48kW and below are only shipped set up for natural gas, a simple field conversion will be required to use propane. See the Owner's Manual for exact instructions.

Special Notes:

- D. **FREIGHT:** Freight is included in the prices shown if we have it shipped directly to you from the manufacturer. From our warehouse stock, call for quote.
- E. **BATTERY FOR STANDBY:** is included for all QT-NFPA, INDUSTRIAL, & DIESEL Generators.
QT and air-cooled generators of 60kW and below are shipped without a battery, so you will need to supply it.
- F. **BATTERY FOR ELECTRIC-START PORTABLE:** Portable generators are shipped without a battery, so you will need to supply it. See the spec sheet or Owner's Manual. Most electric-start portables can also be started by a pull-cord recoil start.
- G. **Full Load CFH/GPH:** For Natural Gas, this indicates cubic feet per hour (CFH). For Propane and Diesel, this column is used for gallons per hour (GPH).

Disclaimers: Specifications on these pages are for convenience only, and could have changed. Please go to www.generac.com for the latest specification sheet. Better Light & Power is not responsible for errors. All prices and specifications are subject to change without notice.

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Table of Contents, Page 1

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Heavy Duty Maximum Performance Package

for

Generac Standby Permanent Generators

Air-Cooled Series

Natural Gas or Propane. Air cooled. These are light-duty inexpensive generators for residential applications such as some group homes, and very small commercial applications.

QT Quiet Test Series - with QT Standard-Duty Package

Natural Gas or Propane. Liquid cooled. Supplies reliable power for basic applications that do not involve any Life Safety Concerns. Exceptionally quiet.

Examples of Life Safety concerns that may require a Generator Model QTA, SG or SD:

- | | |
|---|--|
| -Elevator | -Oxygen or life support equipment that requires electricity |
| -Fire pump/sprinkler system pump | -Industrial processes where current interruption would produce serious life safety or health hazards |
| -Fire detection and alarm systems | -Building over 75 feet tall |
| -Public Safety communications systems | -Health care loads greater than 120kW |
| -Essential ventilating and smoke removal systems | -Facility used as a community Emergency Shelter |
| -Life safety illumination (i.e. lighting allowing safe egress or exit signs without battery backup) | |

The price for our QTA, SG and SD Models includes a "Heavy-Duty Maximum Performance Package",

to ensure that you are able to operate and to accomplish your mission, even in an emergency that takes out utility power. Generac's base model incorporates a long list of equipment that may only be optional on other brands, and our Package adds major upgrades and essential accessories to better serve your needs. If these items had to be purchased and installed after-market, it would be far more expensive and in the meantime, the User would be lacking the additional protection. See the table on the next page for more information on what is included in our Package that may not be standard elsewhere.

QTA (or QT-NFPA) Quiet Test Series- with QTA Heavy Duty Maximum Performance Package

Natural Gas or Propane. Liquid cooled. For heavy-duty high-reliability applications that do not require custom equipment changes. Exceptionally quiet. Includes the equipment necessary to meet NFPA-110 Life Safety when properly installed.

SG Industrial Series- with SG Heavy Duty Maximum Performance Package

Natural Gas or Propane. Liquid cooled. For heaviest-duty highest-reliability applications. Custom equipment changes can be made. Includes the equipment necessary to meet NFPA-110 Life Safety when properly installed.

SD Industrial Series, Diesel- with SD Heavy Duty Maximum Performance Package

Similar to the "SG" Industrial Series, but diesel-powered. Liquid cooled. Custom equipment changes can be made. Includes the equipment necessary to meet NFPA-110 Life Safety when properly installed. Package includes upgraded larger engine size and a sub-base tank sized for a minimum of 24 hour run time on 100% load.

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Table of Contents, Page 2

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Heavy Duty Maximum Performance Package Comparison

Specification/Feature*	Competitor's Industrial Base Model	BLP QT Kit (Does not apply to Base QT)	BLP QTA Package	BLP SG Package	BLP SD Package
Series	---	Quiet Test	QT-NFPA	Industrial	Diesel
Life Safety Equipped	No	No	Yes	Yes	Yes
Type of Fuel (specified on order)	Nat Gas/Prop, Diesel	Nat Gas or Propane	Nat Gas or Propane	Nat Gas or Propane	Diesel
Fuel Tank	No	N/A	N/A	N/A	Min. 24hr Run Time
Fuel Gauge	No	N/A	N/A	N/A	Included
EPA Certified Engine	No	YES	YES	YES	YES
Gas Flex Hose	No	Included	Included	Included	N/A
Tech Support	No	Standard	Standard	Standard	Standard
Freight	No	Included	Included	Included	Included
Main Line Circuit Breaker	No	Included	Included	Included	Included
Block/Coolant Heater	No	Included for Propane	Included	Included	Included
Outdoor Housing	No	Included	Included	Included	Included
High Cap. Battery , Factory Installed	No	Included for 60kW+	Included	Included	Included
Battery Charger , Factory Installed	No	Included	Included	Included	Included
Battery Heater	No	No	Included	Included	Included
Critical Grade Muffler	No	Included	Included	Included	Included
Excitation	Direct	Direct	Brushless	Permanent Magnet	Permanent Magnet
Engine Run Relay , Factory Installed	No	No	No	Included	Included
Isochronous Electronic Governor	No	Included	Included	Included	Included
21 Light Remote Annunciator Panel	No	No	Included	Included	Included
Digital Control Panel	No	Included	Included	Included	Included
UL2200 Listed	No	YES	YES	YES	YES
Closed Recovery Cooling System	No	Included	Included	Included	Included
Vibration Isolation	No	Included	Included	Included	Included
Automatic Alarms & Shutdowns	No	Included	Included	Included	Included
Advanced Wire Harness Design	No	Included	Included	Included	Included
Generac Manufactured Alternators	No	Included	Included	Included	Included
Solid State Sensing & Starting Control	No	Included	Included	Included	Included
Solid State Voltage Regulation	No	Included	Included	Included	Included
On Site Start Up	No	Included	Included	Included	Included
On Site Training During Start Up	No	Included	Included	Included	Included

N/A= Not Applicable

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz **Table of Contents, Page 3**

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Heavy Duty Maximum Performance Package Feature Descriptions for Generac Models QTA, SG, SD

FEATURE	DESCRIPTION
Life Safety Equipped	Generator as a whole is UL2200 Listed, and includes the equipment necessary, when properly installed, to qualify for the stringent NFPA 110 Level 1 Life Safety applications of the National Fire Protection Association.
Fuel (non-Diesel)	Natural gas or propane (whichever is ordered) operation, clean-burning for fewer exhaust emissions. No diesel odor, no need for expensive double-walled diesel tanks, no diesel fuel maintenance requirements, and no risk of environmental liability from diesel fuel spills. Natural gas can also eliminate refueling concerns, because natural gas is constantly supplied through the pipeline.
Fuel Tank (Diesel only)	Sized for a minimum of 24 hour run-time between re-fuelings (usually 24" deep), sub-base fuel tank mounts under the generator and includes the emergency vent that is required for safety. These fuel tanks are double-wall tanks for extra protection against leaks that could trigger a HazMat cleanup, and are UL142-Listed.
Fuel Gauge	A fuel-level sender included to show how much fuel is in the diesel tank, helping to avoid running out of fuel when you really need it. (Diesel only)
EPA Certified Engine	The Environmental Protection Agency establishes emissions requirements for generators. All of our Generac generators comply with EPA requirements and are EPA certified.
Gas Flex Hose	Necessary for the installation of the non-diesel generators in Sections 1-4. Prevents damage from vibration and movement.
Tech Support	Our Tech Support includes the experience of Better Light & Power and factory technicians.
Freight	Included are freight charges to any loading dock accessible by tractor trailer via land only in the 48 contiguous States. All deliveries are FOB destination with all transportation and handling charges paid by Better Light & Power. Delivery dates are estimated and cannot be guaranteed. Unloading, inside delivery, rigging, storage, and installation are not included.
Main Line Circuit Breaker	Factory-installed and UL-Listed. Stops the wires from overheating before they can cause a fire or other safety hazard, and is required to meet UL2200.
Block/Coolant Heater	Keeps diesel fuel flowing easily in cold weather so that the starting motor is able to start the generator even if the temperature goes below minus 20 degrees F. Helps propane or natural gas maintain proper vapor pressure.
Outdoor Housing	Enclosure to protect the generator from the weather, lockable to deter vandalism. Finished with highly-durable textured powder-coat paint that provides consistent coverage and better bonding to seams and exposed edges providing durability and a long-lasting, tough finish.
High Capacity Battery	A starting, high-capacity battery with factory installation is included with our Heavy Duty Maximum Performance Package.
Battery Charger	Factory-installed, high-capacity, dual-rate battery charger. This uses utility power to keep the battery charged even when the generator is not running.
Battery Heater	With built-in thermostat. When temperatures fall below an acceptable level, the thermostat activates the battery warmer maintaining optimum battery temperature for the best generator starting. Battery may require replacement more frequently.
Critical Grade Muffler	"Critical-grade exhaust silencer" - much quieter than Industrial grade or even Residential grade. Installed within the housing, for additional quieting and for best appearance.
Excitation	Strength of magnetic field, for voltage adjustment. Brushless Excitation eliminates the brush sparking in direct excitation, reducing safety hazards in some areas. Excitation is provided by a static system, requiring much less maintenance, and is automatically removed whenever the motor is out of step. Permanent Magnet Excitation provides sustained short circuit current for breaker coordination, increases motor starting capabilities, and enhances performance when load-induced harmonics are present.
Engine Run Relay	Factory-installed. When the engine is running, this allows the operation of a safety alarm or indicator, as well as the operation of other equipment, such as cooling louvers.

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Table of Contents, Page 4

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Heavy Duty Maximum Performance Package Feature Descriptions for Generac Models QTA, SG, SD

Isochronous Electronic Governor	Constant speed control provides faster response to block loads and more consistent output frequency. All generators utilizing PowerManager control systems feature an isochronous governor.
Remote Annunciator Panel	With 21 indicator lights. Mounts inside an office showing in real time whether everything is functioning correctly or if something needs attention. Required to meet NFPA-110. Surface mounting will be supplied unless recessed mounting is specified.
Digital Control Panel	State of the art digital control of the generator. Full system monitoring, sensors, indicators and trouble shutdowns.
UL2200 Listed	UL listing verifies the kilowatt ratings of our generators and is your assurance that Generac standby systems meet safety, endurance, and performance standards.
Closed Recovery Cooling System	Closed, pressurized system virtually eliminates the introduction of air into the cooling system. Rust and fluid acidity are minimized, resulting in longer engine life.
Vibration Isolation	Standard vibration isolators virtually eliminate transmission of vibration from the unit to the mounting surface.
Automatic Alarms and Shutdowns	Generator functions are constantly monitored through a protective system that features solid state circuitry for reliability and long life. NFPA 110 required warnings and alarms provide alerts for a variety of safety and operational concerns. The system automatically shuts down in response to certain critical conditions such as high engine temperature, low coolant level, etc. All generators with PowerManager control systems meet NFPA 110 requirements for warnings, alarms and alerts.
Advanced Wire Harness Design	Generac's wire harness design with waterproof connectors assures reliable, repeatable interconnection between circuit components. Special sealed connectors protect against moisture, dust and environmental damage.
Generac Manufactured Alternators	Generac's revolving field alternators are fully insulated and self ventilating. They feature higher temperature Class H insulation, but are designed to operate at lower Class F temperature levels for longer life. Oversized alternators are available on many models for additional motor starting capacity.
Solid State Sensing and Starting Control	Provides the ultimate in engine protection. The magnetic pickup senses overspeed, automatically shuts down the engine, disconnects the starter motor and prevents re-engagement. The system also provides cyclic cranking for improved starting reliability, and cranking termination for started motor protection.
Solid State Voltage Regulation	Solid state frequency compensated voltage regulation that provides fast, optimized response to changing load conditions. Maximum motor starting capability is assured by electronically torque-matching the surge loads to the engine.
On Site Start Up	After installation, a technician visits your site for several hours to verify that installation was done according to factory requirements, to test many parameters, adjust them for best performance, and to validate the Warranty. NOT INCLUDED WITH BASE MODEL.
On Site Training	During the Start Up site visit by a factory authorized technician, training for the staff in basic operation and maintenance of the generator. NOT INCLUDED WITH BASE MODEL.

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Table of Contents, Page 5

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Section 1: 120/240V 1ph GENERATORS and TRANSFER SWITCHES

120/240V Single Phase -- Portable Generators and Manual Transfer Switch

Manufacturer	Rated for Continuous	Req. (not incl.)	Type of Switch	Engine Fuel	Load RPM	Full Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
<u>GENERAC Portable Generators</u>											
Generac GP Series	1.8	7.5A	Not Incl	none	Gasoline	163cc	79	23.5L x 17W x 17.5H		5723F1	GEN5723
Generac GP Series	3.25	13.5A	Not Incl	none	Gasoline	206cc	91	25.5L x 21W x 19H		5724F1	GEN5724
Generac GP Series	5.5	22.0A	Not Incl	none	Gasoline	389cc	167	33.5L x 26.5W x 27.5H		5736F1	GEN5736
Generac GP Series	6.5	27.0A	Not Incl	none	Gasoline	GT389	185	34L x 27W x 28H		5623F1	GEN169
Generac GP Series	7	29.1A	Not Incl	none	Gasoline	GT410	190	34L x 27W x 28H		5625F1	GEN171
Generac GP Series	7	29.1A	Not Incl	none	Gasoline	GT410	195	34L x 27W x 28H		5626F1	GEN172
Generac GP Series	8	33.3A	Not Incl	none	Gasoline	GT410	200	34L x 27W x 28H		5680F1	GEN173
Generac GP Series	8	33.3A	Not Incl	none	Gasoline	GT410	205	34L x 27W x 28H		5681F1	GEN174
Generac GP Series	15		Not Incl	none	Gasoline			Call for info		5734F1	GEN5734
Generac GP Series	17.5		Not Incl	none	Gasoline			Call for info		5735F1	GEN5735

Manual Transfer Switch Kit

consisting of Manual Transfer Switch, Power Inlet Box, and Cordset

Guardian	100A	Manual	NEMA	Any						4397F1	GEN459
----------	------	--------	------	-----	--	--	--	--	--	--------	--------

120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators

GENERAC Generators and Switches

Air-cooled	7	29.2A	RTS	Steel	Nat Gas	GT410	3600	340	48L x 25W x 29H	139 CFH	35A	5518F1	GEN5518
Air-cooled	8	33.3A	RTS	Steel	Propane	GT410	3600	340	48L x 25W x 29H	1.68 GPH	35A	5518F1	GEN5518P
Air-cooled	9	37.5A	RTS	Steel	Nat Gas	GT530	3600	387	48L x 25W x 29H	156 CFH	45A	5520F1	GEN5520
Air-cooled	10	41.6A	RTS	Steel	Propane	GT530	3600	387	48L x 25W x 29H	1.93 GPH	45A	5520F1	GEN5520P
Air-cooled	13	54.2A	RTS	Steel	Nat Gas	GT992	3600	439	48L x 25W x 29H	220 CFH	60A	5522F1	GEN5522
Air-cooled	14	58.3A	RTS	Steel	Propane	GT992	3600	439	48L x 25W x 29H	2.30 GPH	60A	5522F1	GEN5522P
QT Air-cooled	16	66.6A	RTS	Steel	Nat Gas	GT992	3600	445	48L x 25W x 29H	261 CFH	65A	5523F1	GEN5523
QT Air-cooled	17	70.8A	RTS	Steel	Propane	GT992	3600	445	48L x 25W x 29H	2.57 GPH	65A	5523F1	GEN5523P
QT Air-cooled	16	66.6A	RTS	Alumi	Nat Gas	GT992	3600	414	48L x 25W x 29H	261 CFH	65A	5524F1	GEN5524
QT Air-cooled	17	70.8A	RTS	Alumi	Propane	GT992	3600	414	48L x 25W x 29H	2.57 GPH	65A	5524F1	GEN5524P
QT Air-cooled	18	75.0A	RTS	Alumi	Nat Gas	GT999	3600	451	48L x 25W x 29H	294 CFH	100A	5525F1	GEN5525
QT Air-cooled	20	83.3A	RTS	Alumi	Propane	GT999	3600	451	48L x 25W x 29H	2.90 GPH	100A	5525F1	GEN5525P
Diesel SD	10	41.7A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	0.96 GPH	50A	SD0010ADH1	GEN499
Diesel SD	15	62.5A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.25 GPH	70A	SD0015ADH1	GEN503
Diesel SD	20	83.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.67 GPH	100A	SD0020ADH1	GEN507
Quiet Test	22	92A	RTS	Alumi	Nat Gas	2.4L	1800	850	63L x 29W x 34H	316 CFH	125A	QT02224ANANF1	GEN220
Quiet Test	22	92A	RTS	Alumi	Propane	2.4L	1800	850	63L x 29W x 34H	3.3 GPH	125A	QT02224AVANF1	GEN220P
Quiet Test	25	100A	RTS	Steel	Nat Gas	1.6L	3600	980	72L x 30W x 38H	437 CFH	125A	QT02516ANSNF1	GEN213
Quiet Test	25	104A	RTS	Steel	Propane	1.6L	3600	980	72L x 30W x 38H	4.4 GPH	125A	QT02516AVSNF1	GEN213P
QT-NFPA	25	104A	HTS	Steel	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	125A	QTA02524ANSNAH1	GEN125
QT-NFPA	25	104A	HTS	Alumi	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	125A	QTA02524ANANAH1	GEN120
QT-NFPA	25	104A	HTS	Steel	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	125A	QTA02524AVSNAH1	GEN125P
QT-NFPA	25	104A	HTS	Alumi	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	125A	QTA02524AVANAH1	GEN120P
Diesel SD	25	104.2A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.08 GPH	125A	SD0025ADH1	GEN510

Better Light & Power

2140 West Henrietta Road

Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321

Fax: 585-424-1190 or 800-475-4448

Email: Info@BetterPower.biz

Eugene Henn, President

Catherine S. Henn, CFO/CIO

WPL © 04-06-09 BL&P

Section 1, Continued: 120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators													
Manufacturer	Rated for		Req.	Type of	Engine	Full	Full	Gen	Dimensions	Full	Brkr	Manufacturer	BL&P
	Continuous		(not incl.)										
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU
Quiet Test	25	104A	RTS	Alumi	Nat Gas	2.4L	1800	1255	63L x 29W x 34H	359 CFH	125A	QT02724ANANF1	GEN225
Quiet Test	27	112A	RTS	Alumi	Propane	2.4L	1800	1255	63L x 29W x 34H	4.1 GPH	125A	QT02724AVANF1	GEN225P
Quiet Test	30	125A	RTS	Steel	Nat Gas	1.6L	3600	935	62L x 29W x 34H	525 CFH	150A	QT03016ANSNF1	GEN247
Quiet Test	30	125A	RTS	Steel	Propane	1.6L	3600	935	62L x 29W x 34H	5.7 GPH	150A	QT03016AVSNF1	GEN247P
Diesel SD	30	125A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.5 GPH	150A	SD0030ADH1	GEN515
Industrial	35	146A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	541 CFH	175A	SG0035ASH1	GEN855
Industrial	35	146A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	5.7 GPH	175A	SG0035ASH1	GEN855P
Diesel SD	35	146A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	2.92 GPH	150A	SD0035ADH1	GEN650
Quiet Test	35	146A	RTS	Alumi	Nat Gas	2.4L	1800	1276	77L x 34W x 45H	503 CFH	175A	QT03624ANANF1	GEN230
Quiet Test	36	150A	RTS	Alumi	Propane	2.4L	1800	1276	77L x 34W x 45H	5.4 GPH	175A	QT03624AVANF1	GEN230P
Industrial	40	167A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	610 CFH	200A	SG0040ASH1	GEN859
Industrial	40	167A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	6.5 GPH	200A	SG0040ASH1	GEN859P
Diesel SD	40	167A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	3.33 GPH	200A	SD0040ADH1	GEN519
Industrial	43	179A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	695 CFH	200A	SG0045ASH1	GEN863
Industrial	45	188A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	7.3 GPH	200A	SG0045ASH1	GEN863P
Quiet Test	45	188A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	200A	QT04524ANSNF1	GEN259
Quiet Test	45	188A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	200A	QT04524AVSNF1	GEN259P
Quiet Test	46	192A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	200A	QT04842ANANF1	GEN235
Quiet Test	48	200A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	200A	QT04842AVANF1	GEN235P
Quiet Test	45Y	188A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	200A	QT04524ANSNYF1	GEN259Y
Quiet Test	45Y	188A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	200A	QT04524AVSNYF1	GEN259YP
Quiet Test	46Y	192A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	200A	QT04842ANANYF1	GEN235Y
Quiet Test	48Y	200A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	200A	QT04842AVANYF1	GEN235YP
Diesel SD	50	208A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	4.16 GPH	225A	SD0050ADH1	GEN660
QT-NFPA	55	229A	HTS	Steel	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	250A	QTA05554ANSNAH1	GEN135
QT-NFPA	55	229A	HTS	Alumi	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	250A	QTA05554ANANAH1	GEN175
QT-NFPA	55	229A	HTS	Steel	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	250A	QTA05554AVSNAH1	GEN135P
QT-NFPA	55	229A	HTS	Alumi	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	250A	QTA05554AVANAH1	GEN175P
Quiet Test	60	250A	RTS	Steel	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	300A	QT06024ANSNF1	GEN282
Quiet Test	60	250A	RTS	Steel	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	300A	QT06024AVSNF1	GEN282P
Quiet Test	60	250A	RTS	Alumi	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	300A	QT06024ANSNF1	GEN322
Quiet Test	60	250A	RTS	Alumi	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	300A	QT06024AVSNF1	GEN322P
Diesel SD	60	250A	GTS	Steel	Diesel	3.0L	1800	4250	130L x 40W x 55H	5.0 GPH	300A	SD0060ADH1	GEN656
Quiet Test	70	292A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANSNF1	GEN331
Quiet Test	70	292A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANANF1	GEN336
Quiet Test	70	292A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVSNF1	GEN331P
Quiet Test	70	292A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVANF1	GEN336P
Quiet Test	70Y	292A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANSNYF1	GEN331Y
Quiet Test	70Y	292A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANANYF1	GEN336Y
Quiet Test	70Y	292A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVSNYF1	GEN331YP
Quiet Test	70Y	292A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVANYF1	GEN336YP

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Eugene Henn, President
Catherine S. Henn, CFO/CIO
Sec. 1, Page 2
WPL © 04-06-09 BL&P

Section 1, Continued: 120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators													
Manufacturer	Rated for		Req.	Type of	Engine	Load	Full	Dimensions	Full	Gen	Manufacturer	BL&P	
	Continuous		(not incl.)										
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp		
QT-NFPA	70	292A	HTS	Steel	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	300A	QTA07068ANSNAH1	GEN140
QT-NFPA	70	292A	HTS	Alumi	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	300A	QTA07068ANANAH1	GEN180
QT-NFPA	70	292A	HTS	Steel	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	300A	QTA07068AVSNAH1	GEN140P
QT-NFPA	70	292A	HTS	Alumi	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	300A	QTA07068AVANAH1	GEN180P
Industrial	70	292A	GTS	Steel	Nat Gas	6.8L	1800	1950	111L x 40W x 55H	867 CFH	350A	SG0070ASH1	GEN880
Industrial	70	292A	GTS	Steel	Propane	6.8L	1800	1950	111L x 40W x 55H	867 CFH	350A	SG0070ASH1	GEN880P
Quiet Test	80	333A	HTS	Steel	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	400A	QT08046ANSNF1	GEN314
Quiet Test	80	333A	HTS	Alumi	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	400A	QT08046ANANF1	GEN315
Quiet Test	80	333A	HTS	Steel	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	400A	QT08046AVSNF1	GEN314P
Quiet Test	80	333A	HTS	Alumi	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	400A	QT08046AVANF1	GEN315P
QT-NFPA	80	333A	HTS	Steel	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	350A	QTA08054ANSNAH1	GEN161
QT-NFPA	80	333A	HTS	Alumi	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	350A	QTA08054ANANAH1	GEN185
QT-NFPA	80	333A	HTS	Steel	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	350A	QTA08054AVSNAH1	GEN161P
QT-NFPA	80	333A	HTS	Alumi	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	350A	QTA08054AVANAH1	GEN185P
Diesel SD	80	333A	GTS	Steel	Diesel	4.5L	1800	4350	135L x 40W x 55H	6.3 GPH	350A	SD0080ADH1	GEN666
Quiet Test	100	417A	HTS	Steel	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	450A	QT10068ANSNF1	GEN361
Quiet Test	100	417A	HTS	Alumi	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	450A	QT10068ANANF1	GEN366
Quiet Test	100	417A	HTS	Steel	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	450A	QT10068AVSNF1	GEN361P
Quiet Test	100	417A	HTS	Alumi	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	450A	QT10068AVANF1	GEN366P
QT-NFPA	100	417A	HTS	Steel	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	450A	QTA10068ANSNAH1	GEN150
QT-NFPA	100	417A	HTS	Alumi	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	450A	QTA10068ANANAH1	GEN190
QT-NFPA	100	417A	HTS	Steel	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	450A	QTA10068AVSNAH1	GEN150P
QT-NFPA	100	417A	HTS	Alumi	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	450A	QTA10068AVANAH1	GEN190P
Diesel SD	100	417A	GTS	Steel	Diesel	4.5L	1800	4500	135L x 40W x 55H	7.7 GPH	450A	SD0100ADH1	GEN676
Industrial	100	438A	GTS	Steel	Nat Gas	6.8L	2300	2950	54L x 41W x 63.1H	1158 CFH	500A	SG0100ASH1	GEN884
Industrial	100	438A	GTS	Steel	Propane	6.8L	2300	2950	54L x 41W x 63.1H	1158 CFH	500A	SG0100ASH1	GEN884P
Quiet Test	130	542A	HTS	Steel	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	600A	QT13068ANSNF1	GEN371
Quiet Test	130	542A	HTS	Alumi	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	600A	QT13068ANANF1	GEN376
Quiet Test	130	542A	HTS	Steel	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	600A	QT13068AVSNF1	GEN371P
Quiet Test	130	542A	HTS	Alumi	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	600A	QT13068AVANF1	GEN376P
QT-NFPA	130	542A	HTS	Steel	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	600A	QTA13068ANSNAH1	GEN155
QT-NFPA	130	542A	HTS	Alumi	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	600A	QTA13068ANANAH1	GEN195
QT-NFPA	130	542A	HTS	Steel	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	600A	QTA13068AVSNAH1	GEN155P
QT-NFPA	130	542A	HTS	Alumi	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	600A	QTA13068AVANAH1	GEN195P
Industrial	130	563A	GTS	Steel	Nat Gas	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	600A	SG0130ASH1	GEN888
Industrial	130	563A	GTS	Steel	Propane	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	600A	SG0130ASH1	GEN888P
Diesel SD	135	563A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	9.89 GPH	600A	SD0135ADH1	GEN670
Quiet Test	150	625A	HTS	Steel	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	700A	QT15068ANSNF1	GEN381
Quiet Test	150	625A	HTS	Alumi	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	700A	QT15068ANANF1	GEN386
Quiet Test	150	625A	HTS	Steel	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	700A	QT15068AVSNF1	GEN381P
Quiet Test	150	625A	HTS	Alumi	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	700A	QT15068AVANF1	GEN386P

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Section 1, Continued: 120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators														
Manufacturer	Rated for		Req.	Type of	Engine	Load	Full	Dimensions	Full	Gen	Manufacturer	BL&P		
	Continuous	Amp	(not incl.)											Load
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU	
QT-NFPA	150	625A	HTS	Steel	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	700A	QTA15068ANSNAH1	GEN184	
QT-NFPA	150	625A	HTS	Alumi	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	700A	QTA15068ANANAH1	GEN115	
QT-NFPA	150	625A	HTS	Steel	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	700A	QTA15068AVSNAH1	GEN184P	
QT-NFPA	150	625A	HTS	Alumi	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	700A	QTA15068AVANAH1	GEN115P	
Diesel SD	150	625A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	10.83 GPH	700A	SD0150ADH1	GEN680	
Industrial	150	625A	GTS	Steel	Nat Gas	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	700A	SG0150ASH1	GEN892	
Industrial	150	625A	GTS	Steel	Propane	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	700A	SG0150ASH1	GEN892P	
Industrial	150	625A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	700A	SG0150ASH1	GEN571	
Industrial	150	625A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	700A	SG0150ASH1	GEN571P	
Diesel SD	180	750A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	12.8 GPH	800A	SD0180ADH1	GEN686	
Diesel SD	200	833A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	14.2 GPH	900A	SD0200ADH1	GEN690	
Industrial	200	833A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	900A	SG0200ASH1	GEN576	
Industrial	200	833A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	900A	SG0200ASH1	GEN576P	
120/240V Single Phase -- Automatic Transfer Switches -- Type RTS														
Switch Only	100A	RTS	NEMA-3R					26	24H x 20W x 7D			RTSN100A3F1	GEN090	
With 8-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSD100A1F1	GENRTSD	
With 10-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSF100A1F1	GENRTSF	
With 12-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSH100A1F1	GENRTSH	
With 14-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSP100A1F1	GENRTSP	
With 16-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSW100A1F1	GENRTSW	
With Serv Ent Breaker	100A	RTS	NEMA-3R					42	24H x 16W x 7D			RTSE100A3F1	GEN094	
Switch Only	200A	RTS	NEMA-3R					48	20H x 15W x 7D			RTSN200A3F1	GEN299	
With Serv Ent Breaker	200A	RTS	NEMA-3R					50	24H x 16W x 7D			RTSE200A3F1	GEN303	
Serv Ent W/ Load Shed	200A	RTS	NEMA-3R - 17-48kW					50	24H x 16W x 7D			RTSS200A3F1	GENRTSS	
Switch Only	400A	RTS	NEMA-3R					95	36H x 24W x 10D			RTSN400A3F1	GEN301	
With Serv Ent Breaker	400A	RTS	NEMA-3R					95	36H x 24W x 10D			RTSE400A3F1	GEN296	
GenReady Basic Load Center	125A	RTS	NEMA-1					46	44H x 16W x 4D			5448F1	GEN5448	
GenReady Adv. Load Center	125A	RTS	NEMA-1 - max 125A/30kW					50	44H x 16W x 4D			5449F1	GEN5449	
EZ Transfer Operator			max 125A/30kW									5447F1	GEN5447	
120/240V Single Phase -- Automatic Transfer Switches -- Type HTS														
Switch Only	100A	HTS	NEMA-1 Indoor Only					105	36H x 24W x 10D			HTSN100A1CF1	GEN391	
Switch Only	150A	HTS	NEMA-1 Indoor Only					110	36H x 24W x 10D			HTSN150A1CF1	GEN401	
Switch Only	200A	HTS	NEMA-1 Indoor Only					110	36H x 24W x 10D			HTSN200A1CF1	GEN411	
Switch Only	300A	HTS	NEMA-1 Indoor Only					130	36H x 24W x 10D			HTSN300A1CF1	GEN421	
Switch Only	400A	HTS	NEMA-1 Indoor Only					130	36H x 24W x 10D			HTSN400A1CF1	GEN431	
Switch Only	600A	HTS	NEMA-12 Indoor Only					650	66H x 36W x 20D			HTSN600A4CF1	GEN441	
Switch Only	800A	HTS	NEMA-12 Indoor Only					680	66H x 36W x 20D			HTSN800A4CF1	GEN446	
Switch Only	100A	HTS	NEMA-3R In/Out					105	36H x 24W x 10D			HTSN100A3CF1	GEN396	
Switch Only	150A	HTS	NEMA-3R Indoor/Outdoor					110	36H x 24W x 10D			HTSN150A3CF1	GEN406	
Switch Only	200A	HTS	NEMA-3R Indoor/Outdoor					110	36H x 24W x 10D			HTSN200A3CF1	GEN416	
Switch Only	300A	HTS	NEMA-3R Indoor/Outdoor					130	36H x 24W x 10D			HTSN300A3CF1	GEN426	
Switch Only	400A	HTS	NEMA-3R Indoor/Outdoor					130	36H x 24W x 10D			HTSN400A3CF1	GEN436	
Switch Only	600A	HTS	NEMA-3R Indoor/Outdoor					650	66H x 36W x 20D			HTSN600A3CF1	GEN451	
Switch Only	800A	HTS	NEMA-3R Indoor/Outdoor					680	66H x 36W x 20D			HTSN800A3CF1	GEN456	
Better Light & Power							Phone:	585-475-1321 or 800-475-1321				Eugene Henn, President		
2140 West Henrietta Road							Fax:	585-424-1190 or 800-475-4448				Catherine S. Henn, CFO/CIO		
Rochester, NY 14623							Email:	Info@BetterPower.biz				Sec. 1, Page 4		
												WPL © 04-06-09 BL&P		

Section 1, Continued: 120/240V Single Phase -- Automatic Transfer Switches -- Type GTS															
Manufacturer	Rated for		Req.	Type of	Engine	Full Load	Dimensions	Full Load	Gen Brkr	Manufacturer	BL&P				
	Continuous	Amp	(not incl.)									Switch	Encl	Fuel	Size
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU		
Switch Only		100A	GTS					180	36H x 24W x 10D			GTS010W-2A2LDNANF1	GEN540		
Switch Only		150A	GTS					185	36H x 24W x 10D			GTS015W-2A2LDNANF1	GEN543		
Switch Only		200A	GTS					185	36H x 24W x 10D			GTS020W-2A2LDNANF1	GEN546		
Switch Only		300A	GTS					245	36H x 24W x 10D			GTS030W-2A2LDNANF1	GEN549		
Switch Only		400A	GTS					245	36H x 24W x 10D			GTS040W-2A2LDNANF1	GEN552		
Switch Only		600A	GTS					650	66H x 36W x 20D			GTS060N-2A2LDNBNF1	GEN555		
Switch Only		800A	GTS					700	66H x 36W x 20D			GTS080N-2A2LDNBNF1	GEN558		
Switch Only		1000A	GTS					700	66H x 36W x 20D			GTS100N-2A2LDNBNF1	GEN561		
Switch Only		100A	GTS					180	36H x 24W x 10D			GTS010W-2A2LDNCNF1	GEN739		
Switch Only		150A	GTS					185	36H x 24W x 10D			GTS015W-2A2LDNCNF1	GEN743		
Switch Only		200A	GTS					185	36H x 24W x 10D			GTS020W-2A2LDNCNF1	GEN747		
Switch Only		300A	GTS					245	36H x 24W x 10D			GTS030W-2A2LDNCNF1	GEN751		
Switch Only		400A	GTS					245	36H x 24W x 10D			GTS040W-2A2LDNCNF1	GEN755		
Switch Only		600A	GTS					650	66H x 36W x 20D			GTS060N-2A2LDNCNF1	GEN759		
Switch Only		800A	GTS					700	66H x 36W x 20D			GTS080N-2A2LDNCNF1	GEN763		
Switch Only		1000A	GTS					700	66H x 36W x 20D			GTS100N-2A2LDNCNF1	GEN767		
4-Pole Switch Only		100A	GTS					180	36H x 24W x 10D			GTS010W-3A2LDNANF1	GEN694R		
4-Pole Switch Only		150A	GTS					185	36H x 24W x 10D			GTS015W-3A2LDNANF1	GEN698R		
4-Pole Switch Only		200A	GTS					185	36H x 24W x 10D			GTS020W-3A2LDNANF1	GEN702R		
4-Pole Switch Only		300A	GTS					245	36H x 24W x 10D			GTS030W-3A2LDNANF1	GEN706R		
4-Pole Switch Only		400A	GTS					245	36H x 24W x 10D			GTS040W-3A2LDNANF1	GEN710R		
4-Pole Switch Only		600A	GTS					650	66H x 36W x 20D			GTS060N-3A2LDNBNF1	GEN714R		
4-Pole Switch Only		800A	GTS					700	66H x 36W x 20D			GTS080N-3A2LDNBNF1	GEN718R		
4-Pole Switch Only		1000A	GTS					700	66H x 36W x 20D			GTS100N-3A2LDNBNF1	GEN722R		
Options & Accessories -- for Standby Permanent Generators															
Manufacturer											Manufacturer	BL&P			
Series			Description				Manufacturer				Model #	SKU			
Options			Verifies self-test performed				Transtar				GSV300F1	GSV300			
Options			3 Minute Time Delay				SymCom				3503F1	SYM003			
Options			Aux. Transfer Switch Contact				Generac				5621F1	GEN5621			
Options			Remote Wireless - Home Monitor				Generac				5636F1	GEN5636			
Options			Air-Cooled Gen Transport Cart				Generac				5685F1	GEN5685			
Options			Strip Heater for Transfer Sw				EPS				STRHTRSF1	EPS003			
Options			36" Tank Adder 10-40kW Diesel				Generac				T1040F1	GEN937			
Options			36" Tank Adder 60-100kW Diesel				Generac				T60100F1	GEN938			
Options			Low Sound Encl SD 10-50kW				Generac				LSE1050F1	GEN940			
Options			Low Sound Encl SD 60kW				Generac				LSE60F1	GEN941			
Options			Low Sound Encl SD 80-100kW				Generac				LSE80100F1	GEN942			
Options			Low Sound Encl SD 135-200kW				Generac				LSE135200F1	GEN943			
Better Light & Power					Phone: 585-475-1321 or 800-475-1321					Eugene Henn, President					
2140 West Henrietta Road					Fax: 585-424-1190 or 800-475-4448					Catherine S. Henn, CFO/CIO					
Rochester, NY 14623					Email: Info@BetterPower.biz					Sec. 1, Page 5					
										WPL © 04-06-09 BL&P					

Section 1, Continued: Options & Accessories -- for Standby Permanent Generators									
Manufacturer Series	Description	Manufacturer	Model #	BL&P SKU					
Options	Low Sound Encl SD 230-300kW	Generac	LSE230300F1	GEN944					
Options	Low Sound Encl SD 300-400kW/13L	Generac	LSE300400F1	GEN945					
Options	Low Sound Encl SD 500kW	Generac	LSE500F1	GEN946					
Options	Low Sound Encl SD 600kW	Generac	LSE600F1	GEN947					
Options	Low Sound Encl SG Ind. 35-45kW	Generac	LSEG3545F1	GEN948					
Options	Low Sound Encl SG Ind.70-150kW	Generac	LSEG70150F1	GEN949					
Options	LowSoundEncl SG Ind 150-300kW	Generac	LSEG150300F1	GEN950					
Battery Warmer Kits	AirCooled units mfr prior 4/08	Generac	5634F1	GEN5634					
Battery Warmer Kits	AirCooled units mfr after 4/08	Generac	5635F1	GEN5635					
Battery Warmer Kits	For 1.6L engines (18,20,25,30)	Generac	5629F1	GEN5629					
Battery Warmer Kits	For 2.4L engines (22,25,27,45)	Generac	5630F1	GEN5630					
Battery Warmer Kits	For 4.2L engines (35,36,45,48)	Generac	5631F1	GEN5631					
Battery Warmer Kits	For all Direct Drive units	Generac	5632F1	GEN5632					
Battery Warmer Kits	For Gear Drive units (100&130)	Generac	5633F1	GEN5633					
Block/Coolant Heater Kits	For 1.6L engines (18,20,25,30)	Generac	5615F1	GEN5615					
Block/Coolant Heater Kits	For 2.4L engines (22,25,27,45)	Generac	5616F1	GEN5616					
Block/Coolant Heater Kits	For 4.2L engines (35,36,45,48)	Generac	5618F1	GEN5618					
Block/Coolant Heater Kits	For the 60kW w/ 3.0L engine	Generac	5617F1	GEN5617					
Block/Coolant Heater Kits	For the 80kW w/ 4.6L engine	Generac	5619F1	GEN5619					
Block/Coolant Heater Kits	For the 70kW, 100kW, & 130kW	Generac	5620F1	GEN5620					
Block/Coolant Heater Kits	For the 150kW	Generac	5667F1	GEN5667					
Remote Annunciator Panel	For H-100/21 lt/Surface Mt	Generac	5465F1	GEN082					
Remote Annunciator Panel	For H-100/21 lt/8 dry/Surf Mt	Generac	5464F1	GEN084					
Remote Annunciator Panel	For H-100/8 func relay/Surf Mt	Generac	5466F1	GEN086					
PowerMaster	Load Pref. Controller to 60kW	Generac	5239F1	GEN105					
<u>Warranties, Services and Software -- for Standby Permanent Generators</u>									
Note: Generac Warranty requires use of Generac-brand parts only.									
Extended Warranty	5 Years	For 8-40kW Generators	Generac	COMP5-40	GEN1002				
Extended Warranty	5 Years	For 41-100kW Generators	Generac	COMP5-100	GEN1003				
Extended Warranty	5 Years	For 101-150kW Generators	Generac	COMP5-150	GEN1004				
Extended Warranty	5 Years	For 151-400kW Generators	Generac	COMP5-400	GEN1005				
Extended Warranty	5 Years	For 30-104A Transfer Switches	Generac	COMP5-104A	GEN1008				
Extended Warranty	5 Years	For 105-260A TransferSwitches	Generac	COMP5-260A	GEN1009				
Extended Warranty	5 Years	For 400-800A TransferSwitches	Generac	COMP5-800A	GEN1010				
Extended Warranty	5 Years	For 1000A Transfer Switches	Generac	COMP5-1000A	GEN1011				
Services		On-Site Visit Review Service			SVR001				
Services		On-Site Visit Extra Mileage			SVR002				
Services		On-Site Visit Extra Time			SVR003				
Services		Startup Visit Extra Mileage			STS003				
Services		Startup Visit Extra Time			STS004				
Software		0E9062B Generac GenLink Kit	Generac		GEN471				
Software		0F7707 Generac Serial Cable	Generac		GEN472				
Software		0E2144 Generac Modem	Generac		GEN473				
Better Light & Power			Phone: 585-475-1321 or 800-475-1321			Eugene Henn, President			
2140 West Henrietta Road			Fax: 585-424-1190 or 800-475-4448			Catherine S. Henn, CFO/CIO			
Rochester, NY 14623			Email: Info@BetterPower.biz			Sec. 1, Page 6			
						WPL © 04-06-09 BL&P			

Section 2: 120/208V 3ph GENERATORS and TRANSFER SWITCHES

120/208V Three Phase -- 10kW-600kW -- Standby Permanent Generators													
Manufacturer Series	Rated for		Req.		Type of Fuel	Engine Size	Full Load RPM	Full Load Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
	Continuous	(not incl.)	Switch	Encl									
	kW	Amp											
Diesel SD	10	34.7A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	0.96 GPH	40A	SD0010GDH1	GEN500
Diesel SD	15	52.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.25 GPH	60A	SD0015GDH1	GEN504
Diesel SD	20	69.4A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.67 GPH	70A	SD0020GDH1	GEN508
Quiet Test	22	76A	RTS	Alumi	Nat Gas	2.4L	1800	850	63L x 29W x 34H	316 CFH	100A	QT02224GNANF1	GEN221
Quiet Test	22	76A	RTS	Alumi	Propane	2.4L	1800	850	63L x 29W x 34H	3.3 GPH	100A	QT02224GVANF1	GEN221P
Quiet Test	25	84A	RTS	Steel	Nat Gas	1.6L	3600	980	72L x 30W x 38H	437 CFH	100A	QT02516GNSNTF1	GEN214
Quiet Test	25	87A	RTS	Steel	Propane	1.6L	3600	980	72L x 30W x 38H	4.4 GPH	100A	QT02516GVSNTF1	GEN214P
QT-NFPA	25	87A	HTS	Steel	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	100A	QTA02524GNSNAH1	GEN127
QT-NFPA	25	87A	HTS	Alumi	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	100A	QTA02524GNANAH1	GEN122
QT-NFPA	25	87A	HTS	Steel	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	100A	QTA02524GVSNAH1	GEN127P
QT-NFPA	25	87A	HTS	Alumi	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	100A	QTA02524GVANAH1	GEN122P
Diesel SD	25	86.8A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.08 GPH	100A	SD0025GDH1	GEN511
Quiet Test	25	87A	RTS	Alumi	Nat Gas	2.4L	1800	1255	63L x 29W x 34H	359 CFH	100A	QT02724GNANF1	GEN226
Quiet Test	27	94A	RTS	Alumi	Propane	2.4L	1800	1255	63L x 29W x 34H	4.1 GPH	100A	QT02724GVANF1	GEN226P
Quiet Test	30	104A	RTS	Steel	Nat Gas	1.6L	3600	935	62L x 29W x 34H	525 CFH	125A	QT03016GNSNF1	GEN257
Quiet Test	30	104A	RTS	Steel	Propane	1.6L	3600	935	62L x 29W x 34H	5.7 GPH	125A	QT03016GVSNF1	GEN257P
Diesel SD	30	104A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.5 GPH	125A	SD0030GDH1	GEN516
Industrial	35	121A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	541 CFH	150A	SG0035GSH1	GEN856
Industrial	35	121A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	5.7 GPH	150A	SG0035GSH1	GEN856P
Diesel SD	35	121A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	2.92 GPH	125A	SD0035GDH1	GEN651
Quiet Test	35	121A	RTS	Alumi	Nat Gas	2.4L	1800	1276	77L x 34W x 35H	503 CFH	150A	QT03624GNANF1	GEN231
Quiet Test	36	125A	RTS	Alumi	Propane	2.4L	1800	1276	77L x 34W x 45H	5.4 GPH	150A	QT03624GVANF1	GEN231P
Industrial	40	139A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	610 CFH	175A	SG0040GSH1	GEN860
Industrial	40	139A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	6.5 GPH	175A	SG0040GSH1	GEN860P
Diesel SD	40	139A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	3.33 GPH	150A	SD0040GDH1	GEN520
Industrial	45	156A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	695 CFH	175A	SG0045GSH1	GEN864
Industrial	45	156A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	7.3 GPH	175A	SG0045GSH1	GEN864P
Quiet Test	45	156A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	175A	QT04524GNSNF1	GEN269
Quiet Test	45	156A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	175A	QT04524GVSNF1	GEN269P
Quiet Test	46	160A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	175A	QT04842GNANF1	GEN236
Quiet Test	48	166A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	175A	QT04842GVANF1	GEN236P
Quiet Test	45Y	156A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	175A	QT04524GNSNYF1	GEN269Y
Quiet Test	45Y	156A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	175A	QT04524GVSNYF1	GEN269YP
Quiet Test	46Y	160A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	175A	QT04842GNANYF1	GEN236Y
Quiet Test	48Y	166A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	175A	QT04842GVANYF1	GEN236YP
Diesel SD	50	173A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	4.16 GPH	175A	SD0050GDH1	GEN661
QT-NFPA	55	191A	HTS	Steel	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	200A	QTA05554GNSNAH1	GEN137
QT-NFPA	55	191A	HTS	Alumi	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	200A	QTA05554GNANAH1	GEN177
QT-NFPA	55	191A	HTS	Steel	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	200A	QTA05554GVSNAH1	GEN137P
QT-NFPA	55	191A	HTS	Alumi	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	200A	QTA05554GVANAH1	GEN177P

Section 2, Continued: 120/208V Three Phase -- 10kW-600kW -- Standby Permanent Generators															
Manufacturer Series	Rated for Continuous		Req. (not incl.)	Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU			
	kW	Amp	Switch											Encl	
Quiet Test	60	208A	RTS	Steel	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	250A	QT06024GNSNF1	GEN283		
Quiet Test	60	208A	RTS	Steel	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	250A	QT06024GVSNF1	GEN283P		
Quiet Test	60	208A	RTS	Alumi	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	250A	QT06024GNSNF1	GEN323		
Quiet Test	60	208A	RTS	Alumi	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	250A	QT06024GVSNF1	GEN323P		
Diesel SD	60	208A	GTS	Steel	Diesel	3.0L	1800	4250	130L x 40W x 55H	5.0 GPH	225A	SD0060GDH1	GEN657		
Quiet Test	70	243A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068GNSNF1	GEN332		
Quiet Test	70	243A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068GNANF1	GEN337		
Quiet Test	70	243A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068GVSNF1	GEN332P		
Quiet Test	70	243A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068GVANF1	GEN337P		
Quiet Test	70Y	243A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068GNSNYF1	GEN332Y		
Quiet Test	70Y	243A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068GNANYF1	GEN337Y		
Quiet Test	70Y	243A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068GVSNYF1	GEN332YP		
Quiet Test	70Y	243A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068GVANYF1	GEN337YP		
QT-NFPA	70	243A	HTS	Steel	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	250A	QTA07068GNSNAH1	GEN142		
QT-NFPA	70	243A	HTS	Alumi	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	250A	QTA07068GNANAH1	GEN182		
QT-NFPA	70	243A	HTS	Steel	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	250A	QTA07068GVSNAH1	GEN142P		
QT-NFPA	70	243A	HTS	Alumi	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	250A	QTA07068GVANAH1	GEN182P		
Industrial	70	243A	GTS	Steel	Nat Gas	6.8L	1800	1950	111L x 40W x 55H	867 CFH	300A	SG0070GSH1	GEN881		
Industrial	70	243A	GTS	Steel	Propane	6.8L	1800	1950	111L x 40W x 55H	867 CFH	300A	SG0070GSH1	GEN881P		
Quiet Test	80	278A	HTS	Steel	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	300A	QT08046GNSNF1	GEN324		
Quiet Test	80	278A	HTS	Alumi	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	300A	QT08046GNANF1	GEN325		
Quiet Test	80	278A	HTS	Steel	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	300A	QT08046GVSNF1	GEN324P		
Quiet Test	80	278A	HTS	Alumi	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	300A	QT08046GVANF1	GEN325P		
QT-NFPA	80	278A	HTS	Steel	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	300A	QTA08054GNSNAH1	GEN163		
QT-NFPA	80	278A	HTS	Alumi	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	300A	QTA08054GNANAH1	GEN187		
QT-NFPA	80	278A	HTS	Steel	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	300A	QTA08054GVSNAH1	GEN163P		
QT-NFPA	80	278A	HTS	Alumi	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	300A	QTA08054GVANAH1	GEN187P		
Diesel SD	80	278A	GTS	Steel	Diesel	4.5L	1800	4350	135L x 40W x 55H	6.3 GPH	300A	SD0080GDH1	GEN667		
Quiet Test	100	347A	HTS	Steel	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	400A	QT10068GNSNF1	GEN362		
Quiet Test	100	347A	HTS	Alumi	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	400A	QT10068GNANF1	GEN367		
Quiet Test	100	347A	HTS	Steel	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	400A	QT10068GVSNF1	GEN362P		
Quiet Test	100	347A	HTS	Alumi	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	400A	QT10068GVANF1	GEN367P		
QT-NFPA	100	347A	HTS	Steel	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	400A	QTA10068GNSNAH1	GEN152		
QT-NFPA	100	347A	HTS	Alumi	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	400A	QTA10068GNANAH1	GEN192		
QT-NFPA	100	347A	HTS	Steel	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	400A	QTA10068GVSNAH1	GEN152P		
QT-NFPA	100	347A	HTS	Alumi	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	400A	QTA10068GVANAH1	GEN192P		
Diesel SD	100	347A	GTS	Steel	Diesel	4.5L	1800	4500	135L x 40W x 55H	7.7 GPH	350A	SD0100GDH1	GEN677		
Industrial	100	364A	GTS	Steel	Nat Gas	6.8L	2300	2950	154L x 41W x 63.1H	1158 CFH	400A	SG0100GSH1	GEN885		
Industrial	100	364A	GTS	Steel	Propane	6.8L	2300	2950	154L x 41W x 63.1H	1158 CFH	400A	SG0100GSH1	GEN885P		
Quiet Test	130	451A	HTS	Steel	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	500A	QT13068GNSNF1	GEN372		
Quiet Test	130	451A	HTS	Alumi	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	500A	QT13068GNANF1	GEN377		
Quiet Test	130	451A	HTS	Steel	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	500A	QT13068GVSNF1	GEN372P		
Quiet Test	130	451A	HTS	Alumi	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	500A	QT13068GVANF1	GEN377P		
Better Light & Power															
2140 West Henrietta Road															
Rochester, NY 14623															
						Phone:	585-475-1321 or 800-475-1321								
						Fax:	585-424-1190 or 800-475-4448								
						Email:	Info@BetterPower.biz								
													Eugene Henn, President		
													Catherine S. Henn, CFO/CIO		
													WPL © 04-06-09 BL&P		
													Sec. 2, Page 2		

Section 2, Continued: 120/208V Three Phase -- 10KW-600kW -- Standby Permanent Generators													
Manufacturer Series	Rated for		Req.		Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
	Continuous		(not incl.)										
	kW	Amp	Switch	Encl									
QT-NFPA	130	451A	HTS	Steel	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	500A	QTA13068GNSNAH1	GEN157
QT-NFPA	130	451A	HTS	Alumi	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	500A	QTA13068GNANAH1	GEN197
QT-NFPA	130	451A	HTS	Steel	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	500A	QTA13068GVSNAH1	GEN157P
QT-NFPA	130	451A	HTS	Alumi	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	500A	QTA13068GVANAH1	GEN197P
Industrial	130	468A	GTS	Steel	Nat Gas	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	500A	SG0130GSH1	GEN889
Industrial	130	468A	GTS	Steel	Propane	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	500A	SG0130GSH1	GEN889P
Diesel SD	135	468A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	9.89 GPH	500A	SD0135GDH1	GEN671
Quiet Test	150	520A	HTS	Steel	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	600A	QT15068GNSNF1	GEN382
Quiet Test	150	520A	HTS	Alumi	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	600A	QT15068GNANF1	GEN387
Quiet Test	150	520A	HTS	Steel	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	600A	QT15068GVSNF1	GEN382P
Quiet Test	150	520A	HTS	Alumi	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	600A	QT15068GVANF1	GEN387P
QT-NFPA	150	520A	HTS	Steel	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	600A	QTA15068GNSNAH1	GEN194
QT-NFPA	150	520A	HTS	Alumi	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	600A	QTA15068GNANAH1	GEN117
QT-NFPA	150	520A	HTS	Steel	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	600A	QTA15068GVSNAH1	GEN194P
QT-NFPA	150	520A	HTS	Alumi	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	600A	QTA15068GVANAH1	GEN117P
Diesel SD	150	520A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	10.83 GPH	600A	SD0150GDH1	GEN681
Industrial	150	520A	GTS	Steel	Nat Gas	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	600A	SG0150GSH1	GEN893
Industrial	150	520A	GTS	Steel	Propane	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	600A	SG0150GSH1	GEN893P
Industrial	150	521A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	600A	SG0150GSH1	GEN575
Industrial	150	521A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	600A	SG0150GSH1	GEN575P
Industrial	175	608A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2200 CFH	630A	SG0175GSH1	GEN572
Industrial	175	608A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2200 CFH	630A	SG0175GSH1	GEN572P
Diesel SD	180	625A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	12.8 GPH	630A	SD0180GDH1	GEN687
Diesel SD	200	694A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	14.2 GPH	700A	SD0200GDH1	GEN691
Industrial	200	715A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	800A	SG0200GSH1	GEN577
Industrial	200	715A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	800A	SG0200GSH1	GEN577P
Diesel SD	230	799A	GTS	Steel	Diesel	9.0L	1800	7250	202L x 58W x 77H	16.8 GPH	800A	SD0230GDH1	GEN627
Diesel SD	250	868A	GTS	Steel	Diesel	9.0L	1800	7650	202L x 58W x 77H	18.3 GPH	900A	SD0250GDH1	GEN621
Industrial	250	867A	GTS	Steel	Nat Gas	13.3L	2300	9000	202L x 58W x 77H	3446 CFH	900A	SG0250GSH1	GEN587
Industrial	250	867A	GTS	Steel	Propane	13.3L	2300	9000	202L x 58W x 77H	3446 CFH	900A	SG0250GSH1	GEN587P
Diesel SD	275	955A	GTS	Steel	Diesel	9.0L	1800	7250	202L x 58W x 77H	20.1 GPH	1000A	SD0275GDH1	GEN628
Industrial	275	954A	GTS	Steel	Nat Gas	13.3L	2300	9200	202L x 58W x 77H	3792 CFH	1000A	SG0275GSH1	GEN592
Industrial	275	954A	GTS	Steel	Propane	13.3L	2300	9200	202L x 58W x 77H	3792 CFH	1000A	SG0275GSH1	GEN592P
Diesel SD	300	1041A	GTS	Steel	Diesel	9.0L	1800	8500	202L x 58W x 77H	21.9 GPH	1200A	SD0300GDH1	GEN620
Diesel SD	300	1042A	GTS	Steel	Diesel	13.5L	1800	7950	200L x 58W x 77H	22.0 GPH	1200A	SD0300GDH1	GEN622
Industrial	300	1041A	GTS	Steel	Nat Gas	13.3L	2300	9200	202L x 58W x 77H	4100 CFH	1200A	SG0300GSH1	GEN597
Industrial	300	1041A	GTS	Steel	Propane	13.3L	2300	9200	202L x 58W x 77H	4100 CFH	1200A	SG0300GSH1	GEN597P
Diesel SD	350	1214A	GTS	Steel	Diesel	13.5L	1800	9250	200L x 58W x 77H	26.4 GPH	1400A	SD0350GDH1	GEN623
Diesel SD	400	1387A	GTS	Steel	Diesel	13.5L	1800	9500	200L x 58W x 77H	30.5 GPH	1400A	SD0400GDH1	GEN624
Diesel SD	500	1735A	GTS	Steel	Diesel	18.0L	1800	6825	128L x 57W x 76H	33.0 GPH	1800A	SD0500GDH1	GEN629
Diesel SD	600	2082A	GTS	Steel	Diesel	22.0L	1800	14,400	165L x 71W x 118H	46.2 GPH	2500A	SD0600GDH1	GEN626
Better Light & Power											Eugene Henn, President		
2140 West Henrietta Road											Catherine S. Henn, CFO/CIO		
Rochester, NY 14623											WPL © 04-06-09 BL&P		
Phone: 585-475-1321 or 800-475-1321							Sec. 2, Page 3						
Fax: 585-424-1190 or 800-475-4448													
Email: Info@BetterPower.biz													

Section 2, Continued: 120/208V Three Phase -- 10KW-600kW -- Standby Permanent Generators																				
Manufacturer	Rated for		Req.		Type of	Engine	Load	Full	Dimensions	Full	Gen	Manufacturer	BL&P							
	Continuous		(not incl.)											Fuel	RPM	Wgt	CFH/GPH	Amp	Model #	SKU
	kW	Amp	Switch	Encl																
Bi-Fuel	600	2082A	GTS	Steel	Dsl/NGas	22.0L	1800	7182	166L x 71W x 119H	43.3 GPH	2500A	SB0600GDH1	GEN664							
120/208V Three Phase -- Automatic Transfer Switches -- Type RTS																				
Switch Only	100A		RTS		NEMA-3R			49	24H x 20W x 7D			RTSN100G3F1	GEN095							
Switch Only	200A		RTS		NEMA-3R Indoor/Outdoor			48	20H x 15W x 7D			RTSN200G3F1	GEN297							
Switch Only	400A		RTS		NEMA-3R Indoor/Outdoor			95	36H x 24W x 10D			RTSN400G3F1	GEN302							
120/208V Three Phase -- Automatic Transfer Switches -- Type HTS																				
Switch Only	100A		HTS		NEMA-1 Indoor Only			105	36H x 24W x 10D			HTSN100G1CF1	GEN392							
Switch Only	150A		HTS		NEMA-1 Indoor Only			110	36H x 24W x 10D			HTSN150G1CF1	GEN402							
Switch Only	200A		HTS		NEMA-1 Indoor Only			110	36H x 24W x 10D			HTSN200G1CF1	GEN412							
Switch Only	300A		HTS		NEMA-1 Indoor Only			130	36H x 24W x 10D			HTSN300G1CF1	GEN422							
Switch Only	400A		HTS		NEMA-1 Indoor Only			130	36H x 24W x 10D			HTSN400G1CF1	GEN432							
Switch Only	600A		HTS		NEMA-12 Indoor Only			650	66H x 36W x 20D			HTSN600G4CF1	GEN442							
Switch Only	800A		HTS		NEMA-12 Indoor Only			680	66H x 36W x 20D			HTSN800G4CF1	GEN447							
Switch Only	1000A		HTS		NEMA-12 Indoor Only			710	66H x 36W x 20D			HTSN1000G4F1	GEN906							
Switch Only	1200A		HTS		NEMA-12 Indoor Only			1110	78H x 48W x 24D			HTSN1200G4F1	GEN908							
Switch Only	1600A		HTS		NEMA-12 Indoor Only			1110	78H x 48W x 24D			HTSN1600G4F1	GEN910							
Switch Only	2000A		HTS		NEMA-12 Indoor Only			1310	80H x 48W x 48D			HTSN2000G4F1	GEN912							
Switch Only	2600A		HTS		NEMA-12 Indoor Only			1710	80H x 48W x 48D			HTSN2600G4F1	GEN914							
Switch Only	100A		HTS		NEMA-3R In/Out			105	36H x 24W x 10D			HTSN100G3CF1	GEN397							
Switch Only	150A		HTS		NEMA-3R Indoor/Outdoor			110	36H x 24W x 10D			HTSN150G3CF1	GEN407							
Switch Only	200A		HTS		NEMA-3R Indoor/Outdoor			110	36H x 24W x 10D			HTSN200G3CF1	GEN417							
Switch Only	300A		HTS		NEMA-3R Indoor/Outdoor			130	36H x 24W x 10D			HTSN300G3CF1	GEN427							
Switch Only	400A		HTS		NEMA-3R Indoor/Outdoor			130	36H x 24W x 10D			HTSN400G3CF1	GEN437							
Switch Only	600A		HTS		NEMA-3R Indoor/Outdoor			650	66H x 36W x 20D			HTSN600G3CF1	GEN452							
Switch Only	800A		HTS		NEMA-3R In/Out			680	66H x 36W x 20D			HTSN800G3CF1	GEN457							
Switch Only	1000A		HTS		NEMA-3R Indoor/Outdoor			710	66H x 36W x 20D			HTSN1000G3F1	GEN907							
Switch Only	1200A		HTS		NEMA-3R Indoor/Outdoor			1110	78H x 48W x 24D			HTSN1200G3F1	GEN909							
Switch Only	1600A		HTS		NEMA-3R Indoor/Outdoor			1110	78H x 48W x 24D			HTSN1600G3F1	GEN911							
Switch Only	2000A		HTS		NEMA-3R Indoor/Outdoor			1310	80H x 48W x 48D			HTSN2000G3F1	GEN913							
Switch Only	2600A		HTS		NEMA-3R Indoor/Outdoor			1710	80H x 48W x 48D			HTSN2600G3F1	GEN915							
120/208V Three Phase -- Automatic Transfer Switches -- Type GTS																				
Switch Only	100A		GTS		NEMA-1 Indoor Only			180	36H x 24W x 10D			GTS010W-3G2LDNANF1	GEN541							
Switch Only	150A		GTS		NEMA-1 Indoor Only			185	36H x 24W x 10D			GTS015W-3G2LDNANF1	GEN544							
Switch Only	200A		GTS		NEMA-1 Indoor Only			185	36H x 24W x 10D			GTS020W-3G2LDNANF1	GEN547							
Switch Only	300A		GTS		NEMA-1 Indoor Only			245	36H x 24W x 10D			GTS030W-3G2LDNANF1	GEN550							
Switch Only	400A		GTS		NEMA-1 Indoor Only			245	36H x 24W x 10D			GTS040W-3G2LDNANF1	GEN553							
Switch Only	600A		GTS		NEMA-1 Indoor Only			650	66H x 36W x 20D			GTS060N-3G2LDNBNF1	GEN556							
Switch Only	800A		GTS		NEMA-1 Indoor Only			700	66H x 36W x 20D			GTS080N-3G2LDNBNF1	GEN559							
Switch Only	1000A		GTS		NEMA-1 Indoor Only			700	66H x 36W x 20D			GTS100N-3G2LDNBNF1	GEN562							
Switch Only	1200A		GTS		NEMA-1 Indoor Only			1100	78H x 48W x 28D			GTS120N-3G2LDNBNF1	GEN601							
Switch Only	1600A		GTS		NEMA-1 Indoor Only			1100	78H x 48W x 28D			GTS160N-3G2LDNBNF1	GEN606							
Switch Only	2000A		GTS		NEMA-1 Indoor Only			1300	80H x 48W x 51D			GTS200N-3G2LDNBNF1	GEN611							
Switch Only	2600A		GTS		NEMA-1 Indoor Only			1700	80H x 48W x 51D			GTS260N-3G2LDNBNF1	GEN616							
Better Light & Power			Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President											
2140 West Henrietta Road			Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO											
Rochester, NY 14623			Email: Info@BetterPower.biz						Sec. 2, Page 4											
WPL © 04-06-09 BL&P																				

Section 2, Continued: 120/208V Three Phase -- Automatic Transfer Switches -- Type GTS														
Manufacturer Series	Rated for		Req.	Type of			Full Load	Dimensions			Full Load	Gen Brkr	Manufacturer	BL&P
	Continuous	(not incl.)	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU	
Switch Only	100A	GTS	NEMA-3R	In/Out			180	36H x 24W x 10D				GTS010W-3G2LDNCNF1	GEN740	
Switch Only	150A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D				GTS015W-3G2LDNCNF1	GEN744	
Switch Only	200A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D				GTS020W-3G2LDNCNF1	GEN748	
Switch Only	300A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D				GTS030W-3G2LDNCNF1	GEN752	
Switch Only	400A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D				GTS040W-3G2LDNCNF1	GEN756	
Switch Only	600A	GTS	NEMA-3R	In/Out			650	66H x 36W x 20D				GTS060N-3G2LDNCNF1	GEN760	
Switch Only	800A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D				GTS080N-3G2LDNCNF1	GEN764	
Switch Only	1000A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D				GTS100N-3G2LDNCNF1	GEN768	
Switch Only	1200A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D				GTS120N-3G2LDNCNF1	GEN771	
Switch Only	1600A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D				GTS160N-3G2LDNCNF1	GEN774	
Switch Only	2000A	GTS	NEMA-3R	In/Out			1300	80H x 48W x 51D				GTS200N-3G2LDNCNF1	GEN777	
Switch Only	2600A	GTS	NEMA-3R	In/Out			1700	80H x 48W x 51D				GTS260N-3G2LDNCNF1	GEN780	
4-Pole Switch Only	100A	GTS	NEMA-3R	In/Out			180	36H x 24W x 10D				GTS010W-4G2LDNANF1	GEN695R	
4-Pole Switch Only	150A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D				GTS015W-4G2LDNANF1	GEN699R	
4-Pole Switch Only	200A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D				GTS020W-4G2LDNANF1	GEN703R	
4-Pole Switch Only	300A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D				GTS030W-4G2LDNANF1	GEN707R	
4-Pole Switch Only	400A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D				GTS040W-4G2LDNANF1	GEN711R	
4-Pole Switch Only	600A	GTS	NEMA-3R	In/Out			650	66H x 36W x 20D				GTS060N-4G2LDNBNF1	GEN715R	
4-Pole Switch Only	800A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D				GTS080N-4G2LDNBNF1	GEN719R	
4-Pole Switch Only	1000A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D				GTS100N-4G2LDNBNF1	GEN723R	
4-Pole Switch Only	1200A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D				GTS120N-4G2LDNBNF1	GEN727R	
4-Pole Switch Only	1600A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D				GTS160N-4G2LDNBNF1	GEN730R	
4-Pole Switch Only	2000A	GTS	NEMA-3R	In/Out			1300	80H x 48W x 51D				GTS200N-4G2LDNBNF1	GEN733R	
4-Pole Switch Only	2600A	GTS	NEMA-3R	In/Out			1700	80H x 48W x 51D				GTS260N-4G2LDNBNF1	GEN736R	
Options & Accessories -- for Standby Permanent Generators														
Manufacturer Series	Description			Manufacturer			Manufacturer Model #		BL&P SKU					
Options	Verifies self-test performed			Transtar			GSV300F1		GSV300					
Options	Strip Heater for Transfer Sw			EPS			STRHTRSF1		EPS003					
Options	36" Tank Adder 10-40kW Diesel			Generac			T1040F1		GEN937					
Options	36" Tank Adder 60-100kW Diesel			Generac			T60100F1		GEN938					
Options	Low Sound Encl SD 10-50kW			Generac			LSE1050F1		GEN940					
Options	Low Sound Encl SD 60kW			Generac			LSE60F1		GEN941					
Options	Low Sound Encl SD 80-100kW			Generac			LSE80100F1		GEN942					
Options	Low Sound Encl SD 135-200kW			Generac			LSE135200F1		GEN943					
Options	Low Sound Encl SD 230-300kW			Generac			LSE230300F1		GEN944					
Options	Low Sound Encl SD 300-400kW13L			Generac			LSE300400F1		GEN945					
Options	Low Sound Encl SD 500kW			Generac			LSE500F1		GEN946					
Options	Low Sound Encl SD 600kW			Generac			LSE600F1		GEN947					
Options	Low Sound Encl SG Ind. 35-45kW			Generac			LSEG3545F1		GEN948					
Options	Low Sound Encl SG Ind.70-150kW			Generac			LSEG70150F1		GEN949					
Options	LowSoundEncl SG Ind 150-300kW			Generac			LSEG150300F1		GEN950					
Better Light & Power				Phone: 585-475-1321 or 800-475-1321				Eugene Henn, President						
2140 West Henrietta Road				Fax: 585-424-1190 or 800-475-4448				Catherine S. Henn, CFO/CIO						
Rochester, NY 14623				Email: Info@BetterPower.biz				Sec. 2, Page 5						
								WPL © 04-06-09 BL&P						

Section 2, Continued: Options & Accessories -- for Standby Permanent Generators									
Manufacturer								Manufacturer	BL&P
Series			Description		Manufacturer			Model #	SKU
Battery Warmer Kits			AirCooled units mfr prior 4/08		Generac			5634F1	GEN5634
Battery Warmer Kits			AirCooled units mfr after 4/08		Generac			5635F1	GEN5635
Battery Warmer Kits			For 1.6L engines (18,20,25,30)		Generac			5629F1	GEN5629
Battery Warmer Kits			For 2.4L engines (22,25,27,45)		Generac			5630F1	GEN5630
Battery Warmer Kits			For 4.2L engines (35,36,45,48)		Generac			5631F1	GEN5631
Battery Warmer Kits			For all Direct Drive units		Generac			5632F1	GEN5632
Battery Warmer Kits			For Gear Drive units (100&130)		Generac			5633F1	GEN5633
Block/Coolant Heater Kits			For 1.6L engines (18,20,25,30)		Generac			5615F1	GEN5615
Block/Coolant Heater Kits			For 2.4L engines (22,25,27,45)		Generac			5616F1	GEN5616
Block/Coolant Heater Kits			For 4.2L engines (35,36,45,48)		Generac			5618F1	GEN5618
Block/Coolant Heater Kits			For the 60kW w/ 3.0L engine		Generac			5617F1	GEN5617
Block/Coolant Heater Kits			For the 80kW w/ 4.6L engine		Generac			5619F1	GEN5619
Block/Coolant Heater Kits			For the 70kW, 100kW, & 130kW		Generac			5620F1	GEN5620
Block/Coolant Heater Kits			For the 150kW		Generac			5667F1	GEN5667
Remote Annunciator Panel			For H-100/21 It/Surface Mt		Generac			5465F1	GEN082
Remote Annunciator Panel			For H-100/21 It/8 dry/Surf Mt		Generac			5464F1	GEN084
Remote Annunciator Panel			For H-100/8 func relay/Surf Mt		Generac			5466F1	GEN086
PowerMaster			Load Pref. Controller to 60kW		Generac			5239F1	GEN105
Warranties, Services and Software -- for Standby Permanent Generators									
<small>Note: Generac Warranty requires use of Generac-brand parts only.</small>									
Extended Warranty	5 Years		For 8-40kW Generators		Generac			COMP5-40	GEN1002
Extended Warranty	5 Years		For 41-100kW Generators		Generac			COMP5-100	GEN1003
Extended Warranty	5 Years		For 101-150kW Generators		Generac			COMP5-150	GEN1004
Extended Warranty	5 Years		For 151-400kW Generators		Generac			COMP5-400	GEN1005
Extended Warranty	5 Years		For 401-500kW Generators		Generac			COMP5-500	GEN1006
Extended Warranty	5 Years		For 501-750kW Generators		Generac			COMP5-750	GEN1007
Extended Warranty	5 Years		For 30-104A Transfer Switches		Generac			COMP5-104A	GEN1008
Extended Warranty	5 Years		For 105-260A TransferSwitches		Generac			COMP5-260A	GEN1009
Extended Warranty	5 Years		For 400-800A TransferSwitches		Generac			COMP5-800A	GEN1010
Extended Warranty	5 Years		For 1000A Transfer Switches		Generac			COMP5-1000A	GEN1011
Extended Warranty	5 Years		For 1200A Transfer Switches		Generac			COMP5-1200A	GEN1012
Extended Warranty	5 Years		For 1600A Transfer Switches		Generac			COMP5-1600A	GEN1013
Extended Warranty	5 Years		For 2000A Transfer Switches		Generac			COMP5-2000A	GEN1014
Extended Warranty	5 Years		For 2500A Transfer Switches		Generac			COMP5-2500A	GEN1015
Extended Warranty	5 Years		For 3000A Transfer Switches		Generac			COMP5-3000A	GEN1016
Extended Warranty	5 Years		For 4000A Transfer Switches		Generac			COMP5-4000A	GEN1017
Services			On-Site Visit Review Service						SVR001
Services			On-Site Visit Extra Mileage						SVR002
Services			On-Site Visit Extra Time						SVR003
Services			Startup Visit Extra Mileage						STS003
Services			Startup Visit Extra Time						STS004
Software			0E9062B Generac GenLink Kit		Generac				GEN471
Software			0F7707 Generac Serial Cable		Generac				GEN472
Software			0E2144 Generac Modem		Generac				GEN473
Better Light & Power			Phone:	585-475-1321 or 800-475-1321			Eugene Henn, President		
2140 West Henrietta Road			Fax:	585-424-1190 or 800-475-4448			Catherine S. Henn, CFO/CIO		
Rochester, NY 14623			Email:	Info@BetterPower.biz			WPL © 04-06-09 BL&P		
							Sec. 2, Page 6		

Section 3: 277/480V 3ph GENERATORS and TRANSFER SWITCHES													
277/480V Three Phase -- 10kW-1000kW -- Standby Permanent Generators													
Manufacturer Series	Rated for		Req. (not incl.)		Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
	kW	Amp	Switch	Encl									
Diesel SD	10	15.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	0.96 GPH	20A	SD0010KDH1	GEN502
Diesel SD	15	22.6A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.25 GPH	25A	SD0015KDH1	GEN506
Diesel SD	20	30.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.67 GPH	40A	SD0020KDH1	GEN509
QT-NFPA	25	38A	HTS	Steel	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	50A	QTA02524KNSNAH1	GEN128
QT-NFPA	25	38A	HTS	Alumi	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	50A	QTA02524KNANAH1	GEN123
QT-NFPA	25	38A	HTS	Steel	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.18 GPH	50A	QTA02524KVSNAH1	GEN128P
QT-NFPA	25	38A	HTS	Alumi	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	50A	QTA02524KVANAH1	GEN123P
Diesel SD	25	37.5A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.08 GPH	40A	SD0025KDH1	GEN512
Diesel SD	30	45A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.5 GPH	50A	SD0030KDH1	GEN518
Industrial	35	53A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	541 CFH	60A	SG0035KSH1	GEN857
Industrial	35	53A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	5.7 GPH	60A	SG0035KSH1	GEN857P
Diesel SD	35	53A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	2.92 GPH	60A	SD0035KDH1	GEN652
Quiet Test	35	52A	RTS	Alumi	Nat Gas	2.4L	1800	1276	77L x 34W x 45H	503 CFH	125A	QT03624KNANF1	GEN232
Quiet Test	36	54A	RTS	Alumi	Propane	2.4L	1800	1276	77L x 34W x 45H	5.4 GPH	125A	QT03624KVANF1	GEN232P
Industrial	40	60A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	610 CFH	70A	SG0040KSH1	GEN861
Industrial	40	60A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	6.5 GPH	70A	SG0040KSH1	GEN861P
Diesel SD	40	60A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	3.33 GPH	70A	SD0040KDH1	GEN522
Industrial	45	68A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	695 CFH	80A	SG0045KSH1	GEN865
Industrial	45	68A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	7.3 GPH	80A	SG0045KSH1	GEN865P
Quiet Test	45	68A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	80A	QT04524KNSNF1	GEN279
Quiet Test	45	68A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	80A	QT04524KVSNF1	GEN279P
Quiet Test	46	69A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	80A	QT04842KNANF1	GEN237
Quiet Test	48	72A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	80A	QT04842KVANF1	GEN237P
Quiet Test	45Y	68A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	80A	QT04524KNSNYF1	GEN279Y
Quiet Test	45Y	68A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	80A	QT04524KVSNYF1	GEN279YP
Quiet Test	46Y	69A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	80A	QT04842KNANYF1	GEN237Y
Quiet Test	48Y	72A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	80A	QT04842KVANYF1	GEN237YP
Diesel SD	50	75A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	4.16 GPH	80A	SD0050KDH1	GEN662
QT-NFPA	55	83A	HTS	Steel	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	90A	QTA05554KNSNAH1	GEN138
QT-NFPA	55	83A	HTS	Alumi	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	90A	QTA05554KNANAH1	GEN178
QT-NFPA	55	83A	HTS	Steel	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	90A	QTA05554KVSNAH1	GEN138P
QT-NFPA	55	83A	HTS	Alumi	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	90A	QTA05554KVANAH1	GEN178P
Quiet Test	60	90A	RTS	Steel	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	100A	QT06024KNSNF1	GEN292
Quiet Test	60	90A	RTS	Steel	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	100A	QT06024KVSNF1	GEN292P
Quiet Test	60	90A	RTS	Alumi	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	100A	QT06024KNSNF1	GEN342
Quiet Test	60	90A	RTS	Alumi	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	100A	QT06024KVSNF1	GEN342P
Diesel SD	60	90A	GTS	Steel	Diesel	3.0L	1800	4250	130L x 40W x 55H	5.0 GPH	100A	SD0060KDH1	GEN658
Better Light & Power							Phone: 585-475-1321 or 800-475-1321					Eugene Henn, President	
2140 West Henrietta Road							Fax: 585-424-1190 or 800-475-4448					Catherine S. Henn, CFO/CIO	
Rochester, NY 14623							Email: Info@BetterPower.biz					Sec. 3, Page 1	
WPL © 04-06-09 BL&P													

Section 3, Continued: 277/480V Three Phase -- 10kW-1000kW -- Standby Permanent Generators														
Manufacturer Series	Rated for		Req.		Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU	
	Continuous	Amp	(not incl.)	Switch										Encl
	kW													
Quiet Test	70	105A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	125A	QT07068KNSNF1	GEN333	
Quiet Test	70	105A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	125A	QT07068KNANF1	GEN338	
Quiet Test	70	105A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	125A	QT07068KVSNF1	GEN333P	
Quiet Test	70	105A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	125A	QT07068KVANF1	GEN338P	
Quiet Test	70Y	105A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	125A	QT07068KNSNYF1	GEN333Y	
Quiet Test	70Y	105A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	125A	QT07068KNANYF1	GEN338Y	
Quiet Test	70Y	105A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	125A	QT07068KVSNYF1	GEN333YP	
Quiet Test	70Y	105A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	125A	QT07068KVANYF1	GEN338YP	
QT-NFPA	70	105A	HTS	Steel	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	125A	QTA07068KNSNAH1	GEN143	
QT-NFPA	70	105A	HTS	Alumi	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	125A	QTA07068KNANAH1	GEN183	
QT-NFPA	70	105A	HTS	Steel	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	125A	QTA07068KVSNAH1	GEN143P	
QT-NFPA	70	105A	HTS	Alumi	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	125A	QTA07068KVANAH1	GEN183P	
Industrial	70	105A	GTS	Steel	Nat Gas	6.8L	1800	1950	111L x 40W x 55H	867 CFH	125A	SG0070KSH1	GEN882	
Industrial	70	105A	GTS	Steel	Propane	6.8L	1800	1950	111L x 40W x 55H	867 CFH	125A	SG0070KSH1	GEN882P	
Quiet Test	80	120A	HTS	Steel	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	150A	QT08046KNSNF1	GEN334	
Quiet Test	80	120A	HTS	Alumi	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	150A	QT08046KNANF1	GEN335	
Quiet Test	80	120A	HTS	Steel	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	150A	QT08046KVSNF1	GEN334P	
Quiet Test	80	120A	HTS	Alumi	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	150A	QT08046KVANF1	GEN335P	
QT-NFPA	80	120A	HTS	Steel	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	150A	QTA08054KNSNAH1	GEN164	
QT-NFPA	80	120A	HTS	Alumi	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	150A	QTA08054KNANAH1	GEN188	
QT-NFPA	80	120A	HTS	Steel	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	150A	QTA08054KVSNAH1	GEN164P	
QT-NFPA	80	120A	HTS	Alumi	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	150A	QTA08054KVANAH1	GEN188P	
Diesel SD	80	120A	GTS	Steel	Diesel	4.5L	1800	4350	135L x 40W x 55H	6.3 GPH	125A	SD0080KDH1	GEN668	
Quiet Test	100	150A	HTS	Steel	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	175A	QT10068KNSNF1	GEN363	
Quiet Test	100	150A	HTS	Alumi	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	175A	QT10068KNANF1	GEN368	
Quiet Test	100	150A	HTS	Steel	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	175A	QT10068KVSNF1	GEN363P	
Quiet Test	100	150A	HTS	Alumi	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	175A	QT10068KVANF1	GEN368P	
QT-NFPA	100	150A	HTS	Steel	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	175A	QTA10068KNSNAH1	GEN153	
QT-NFPA	100	150A	HTS	Alumi	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	175A	QTA10068KNANAH1	GEN193	
QT-NFPA	100	150A	HTS	Steel	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	175A	QTA10068KVSNAH1	GEN153P	
QT-NFPA	100	150A	HTS	Alumi	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	175A	QTA10068KVANAH1	GEN193P	
Diesel SD	100	150A	GTS	Steel	Diesel	4.5L	1800	4500	135L x 40W x 55H	7.7 GPH	175A	SD0100KDH1	GEN678	
Industrial	100	158A	GTS	Steel	Nat Gas	6.8L	2300	2950	154L x 41W x 63.1H	1158 CFH	175A	SG0100KSH1	GEN886	
Industrial	100	158A	GTS	Steel	Propane	6.8L	2300	2950	154L x 41W x 63.1H	1158 CFH	175A	SG0100KSH1	GEN886P	
Quiet Test	130	195A	HTS	Steel	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	225A	QT13068KNSNF1	GEN373	
Quiet Test	130	195A	HTS	Alumi	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	225A	QT13068KNANF1	GEN378	
Quiet Test	130	195A	HTS	Steel	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	225A	QT13068KVSNF1	GEN373P	
Quiet Test	130	195A	HTS	Alumi	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	225A	QT13068KVANF1	GEN378P	
QT-NFPA	130	195A	HTS	Steel	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	225A	QTA13068KNSNAH1	GEN158	
QT-NFPA	130	195A	HTS	Alumi	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	225A	QTA13068KNANAH1	GEN198	
Better Light & Power						Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President		
2140 West Henrietta Road						Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO		
Rochester, NY 14623						Email: Info@BetterPower.biz						Sec. 3, Page 2		

Section 3, Continued: 277/480V Three Phase -- 10kW-1000kW -- Standby Permanent Generators													
Manufacturer Series	Rated for Continuous		Req. (not incl.)		Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
	KW	Amp	Switch	Encl									
QT-NFPA	130	195A	HTS	Steel	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	225A	QTA13068KVSNAH1	GEN158P
QT-NFPA	130	195A	HTS	Alumi	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	225A	QTA13068KVANAHA1	GEN198P
Industrial	130	203A	GTS	Steel	Nat Gas	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	225A	SG0130KSH1	GEN890
Industrial	130	203A	GTS	Steel	Propane	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	225A	SG0130KSH1	GEN890P
Diesel SD	135	203A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	9.89 GPH	225A	SD0135KDH1	GEN672
Quiet Test	150	226A	HTS	Steel	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	250A	QT15068KNSNF1	GEN383
Quiet Test	150	226A	HTS	Alumi	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	250A	QT15068KNANF1	GEN388
Quiet Test	150	226A	HTS	Steel	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	250A	QT15068KVSNF1	GEN383P
Quiet Test	150	226A	HTS	Alumi	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	250A	QT15068KVANF1	GEN388P
QT-NFPA	150	226A	HTS	Steel	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	250A	QTA15068KNSNAH1	GEN199
QT-NFPA	150	226A	HTS	Alumi	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	250A	QTA15068KNANAHA1	GEN118
QT-NFPA	150	226A	HTS	Steel	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	250A	QTA15068KVSNAH1	GEN199P
QT-NFPA	150	226A	HTS	Alumi	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	250A	QTA15068KVANAHA1	GEN118P
Diesel SD	150	226A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	10.83 GPH	250A	SD0150KDH1	GEN682
Industrial	150	225A	GTS	Steel	Nat Gas	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	250A	SG0150KSH1	GEN894
Industrial	150	225A	GTS	Steel	Propane	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	250A	SG0150KSH1	GEN894P
Industrial	150	226A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	250A	SG0150KSH1	GEN585
Industrial	150	226A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	250A	SG0150KSH1	GEN585P
Industrial	175	263A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2200 CFH	300A	SG0175KSH1	GEN573
Industrial	175	263A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2200 CFH	300A	SG0175KSH1	GEN573P
Diesel SD	180	271A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	12.8 GPH	300A	SD0180KDH1	GEN688
Diesel SD	200	301A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	14.2 GPH	350A	SD0200KDH1	GEN692
Industrial	200	310A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	350A	SG0200KSH1	GEN578
Industrial	200	310A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	350A	SG0200KSH1	GEN578P
Diesel SD	230	346A	GTS	Steel	Diesel	9.0L	1800	7250	202L x 58W x 77H	16.8 GPH	350A	SD0230KDH1	GEN637
Diesel SD	250	376A	GTS	Steel	Diesel	9.0L	1800	7650	202L x 58W x 77H	18.3 GPH	400A	SD0250KDH1	GEN631
Industrial	250	376A	GTS	Steel	Nat Gas	13.3L	2300	9000	202L x 58W x 77H	3446 CFH	400A	SG0250KSH1	GEN588
Industrial	250	376A	GTS	Steel	Propane	13.3L	2300	9000	202L x 58W x 77H	3446 CFH	400A	SG0250KSH1	GEN588P
Diesel SD	275	414A	GTS	Steel	Diesel	9.0L	1800	7250	202L x 58W x 77H	20.1 GPH	450A	SD0275KDH1	GEN638
Industrial	275	413A	GTS	Steel	Nat Gas	13.3L	2300	9200	202L x 58W x 77H	3792 CFH	450A	SG0275KSH1	GEN593
Industrial	275	413A	GTS	Steel	Propane	13.3L	2300	9200	202L x 58W x 77H	3792 CFH	450A	SG0275KSH1	GEN593P
Diesel SD	300	451A	GTS	Steel	Diesel	9.0L	1800	8500	202L x 58W x 77H	21.9 GPH	500A	SD0300KDH1	GEN630
Diesel SD	300	452A	GTS	Steel	Diesel	13.5L	1800	7950	200L x 58W x 77H	22.0 GPH	500A	SD0300KDH1	GEN632
Industrial	300	451A	GTS	Steel	Nat Gas	13.3L	2300	9200	202L x 58W x 77H	4100 CFH	500A	SG0300KSH1	GEN598
Industrial	300	451A	GTS	Steel	Propane	13.3L	2300	9200	202L x 58W x 77H	4100 CFH	500A	SG0300KSH1	GEN598P
Diesel SD	350	526A	GTS	Steel	Diesel	13.5L	1800	9250	200L x 58W x 77H	26.4 GPH	600A	SD0350KDH1	GEN633
Diesel SD	400	601A	GTS	Steel	Diesel	13.5L	1800	9500	200L x 58W x 77H	30.5 GPH	630A	SD0400KDH1	GEN634
Diesel SD	500	752A	GTS	Steel	Diesel	18.0L	1800	6825	128L x 57W x 76H	33.0 GPH	800A	SD0500KDH1	GEN639
Diesel SD	600	902A	GTS	Steel	Diesel	22.0L	1800	14,400	165L x 71W x 118H	46.2 GPH	1000A	SD0600KDH1	GEN636
Bi-Fuel	600	902A	GTS	Steel	Dsl/NGas	22.0L	1800	7182	166L x 71W x 119H	43.3 GPH	1000A	SB0600KDH1	GEN674
Gemini	1000	1503A	GTS	Steel	Diesel	16.0L Tier	1800	28,700	242L x 96W x 132H	2x31.3GPH	2x800A	MD1000KMH1	GEN726

Better Light & Power	Phone: 585-475-1321 or 800-475-1321	Eugene Henn, President
2140 West Henrietta Road	Fax: 585-424-1190 or 800-475-4448	Catherine S. Henn, CFO/CIO
Rochester, NY 14623	Email: Info@BetterPower.biz	WPL © 04-06-09 BL&P

Section 3. Continued: 277/480V Three Phase -- Automatic Transfer Switches -- Type RTS													
Manufacturer	Rated for		Req.	Type of	Engine	Full Load	Wgt	Dimensions	Full Load	Gen Brkr	Manufacturer	BL&P	
	Continuous	(not incl.)	Switch										
Series	KW	Amp											
Switch Only		100A	RTS	NEMA-3R			26	36H x 24W x 10D			RTSN100K3F1	GEN096	
Switch Only		200A	RTS	NEMA-3R Indoor/Outdoor			48	20H x 15W x 7D			RTSN200K3F1	GEN298	
277/480V Three Phase -- Automatic Transfer Switches -- Type HTS													
Switch Only		100A	HTS	NEMA-1 Indoor Only			120	36H x 24W x 10D			HTSN100K1CF1	GEN393	
Switch Only		150A	HTS	NEMA-1 Indoor Only			145	48H x 30W x 12D			HTSN150K1CF1	GEN403	
Switch Only		200A	HTS	NEMA-1 Indoor Only			145	48H x 30W x 12D			HTSN200K1CF1	GEN413	
Switch Only		300A	HTS	NEMA-1 Indoor Only			165	48H x 30W x 12D			HTSN300K1CF1	GEN423	
Switch Only		400A	HTS	NEMA-1 Indoor Only			165	48H x 30W x 12D			HTSN400K1CF1	GEN433	
Switch Only		600A	HTS	NEMA-12 Indoor Only			650	66H x 36W x 20D			HTSN600K4CF1	GEN443	
Switch Only		800A	HTS	NEMA-12 Indoor Only			680	66H x 36W x 20D			HTSN800K4CF1	GEN448	
Switch Only		1000A	HTS	NEMA-12 Indoor Only			710	66H x 36W x 20D			HTSN1000K4F1	GEN916	
Switch Only		1200A	HTS	NEMA-12 Indoor Only			1110	78H x 48W x 24D			HTSN1200K4F1	GEN918	
Switch Only		1600A	HTS	NEMA-12 Indoor Only			1110	78H x 48W x 24D			HTSN1600K4F1	GEN920	
Switch Only		2000A	HTS	NEMA-12 Indoor Only			1310	80H x 48W x 48D			HTSN2000K4F1	GEN922	
Switch Only		2600A	HTS	NEMA-12 Indoor Only			1710	80H x 48W x 48D			HTSN2600K4F1	GEN924	
Switch Only		100A	HTS	NEMA-3R In/Out			120	36H x 24W x 10D			HTSN100K3CF1	GEN398	
Switch Only		150A	HTS	NEMA-3R Indoor/Outdoor			145	48H x 30W x 12D			HTSN150K3CF1	GEN408	
Switch Only		200A	HTS	NEMA-3R Indoor/Outdoor			145	48H x 30W x 12D			HTSN200K3CF1	GEN418	
Switch Only		300A	HTS	NEMA-3R Indoor/Outdoor			165	48H x 30W x 12D			HTSN300K3CF1	GEN428	
Switch Only		400A	HTS	NEMA-3R Indoor/Outdoor			165	48H x 30W x 12D			HTSN400K3CF1	GEN438	
Switch Only		600A	HTS	NEMA-3R Indoor/Outdoor			650	66H x 36W x 20D			HTSN600K3CF1	GEN453	
Switch Only		800A	HTS	NEMA-3R Indoor/Outdoor			680	66H x 36W x 20D			HTSN800K3CF1	GEN458	
Switch Only		1000A	HTS	NEMA-3R Indoor/Outdoor			710	66H x 36W x 20D			HTSN1000K3F1	GEN917	
Switch Only		1200A	HTS	NEMA-3R Indoor/Outdoor			1110	78H x 48W x 24D			HTSN1200K3F1	GEN919	
Switch Only		1600A	HTS	NEMA-3R Indoor/Outdoor			1110	78H x 48W x 24D			HTSN1600K3F1	GEN921	
Switch Only		2000A	HTS	NEMA-3R Indoor/Outdoor			1310	80H x 48W x 48D			HTSN2000K3F1	GEN923	
Switch Only		2600A	HTS	NEMA-3R Indoor/Outdoor			1710	80H x 48W x 48D			HTSN2600K3F1	GEN925	
277/480V Three Phase -- Automatic Transfer Switches -- Type GTS													
Switch Only		100A	GTS	NEMA-1 Indoor Only			180	36H x 24W x 10D			GTS010W-3K2LDNANF1	GEN542	
Switch Only		150A	GTS	NEMA-1 Indoor Only			265	48H x 30W x 12D			GTS015W-3K2LDNANF1	GEN545	
Switch Only		200A	GTS	NEMA-1 Indoor Only			265	48H x 30W x 12D			GTS020W-3K2LDNANF1	GEN548	
Switch Only		300A	GTS	NEMA-1 Indoor Only			325	48H x 30W x 12D			GTS030W-3K2LDNANF1	GEN551	
Switch Only		400A	GTS	NEMA-1 Indoor Only			325	48H x 30W x 12D			GTS040W-3K2LDNANF1	GEN554	
Switch Only		600A	GTS	NEMA-1 Indoor Only			650	66H x 36W x 20D			GTS060N-3K2LDNBNF1	GEN557	
Switch Only		800A	GTS	NEMA-1 Indoor Only			700	66H x 36W x 20D			GTS080N-3K2LDNBNF1	GEN560	
Switch Only		1000A	GTS	NEMA-1 Indoor Only			700	66H x 36W x 20D			GTS100N-3K2LDNBNF1	GEN563	
Switch Only		1200A	GTS	NEMA-1 Indoor Only			1100	78H x 48W x 28D			GTS120N-3K2LDNBNF1	GEN602	
Switch Only		1600A	GTS	NEMA-1 Indoor Only			1100	78H x 48W x 28D			GTS160N-3K2LDNBNF1	GEN607	
Switch Only		2000A	GTS	NEMA-1 Indoor Only			1300	80H x 48W x 51D			GTS200N-3K2LDNBNF1	GEN612	
Switch Only		2600A	GTS	NEMA-1 Indoor Only			1700	80H x 48W x 51D			GTS260N-3K2LDNBNF1	GEN617	
Better Light & Power				Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President			
2140 West Henrietta Road				Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO			
Rochester, NY 14623				Email: Info@BetterPower.biz						Sec. 3, Page 4			
										WPL © 04-06-09 BL&P			

Section 3, Continued: 277/480V Three Phase -- Automatic Transfer Switches -- Type GTS													
Manufacturer	Rated for		Req.	Type of	Engine	Full Load	Wgt	Dimensions	Full Load	Gen Brkr	Manufacturer	BL&P	
	Continuous	(not incl.)	Switch										
Series	kW	Amp											
Switch Only	100A		GTS	NEMA-3R	In/Out		180	36H x 24W x 10D			GTS010W-3K2LDNCNF1	GEN742	
Switch Only	150A		GTS	NEMA-3R	In/Out		265	48H x 30W x 12D			GTS015W-3K2LDNCNF1	GEN746	
Switch Only	200A		GTS	NEMA-3R	In/Out		265	48H x 30W x 12D			GTS020W-3K2LDNCNF1	GEN750	
Switch Only	300A		GTS	NEMA-3R	In/Out		325	48H x 30W x 12D			GTS030W-3K2LDNCNF1	GEN754	
Switch Only	400A		GTS	NEMA-3R	In/Out		325	48H x 30W x 12D			GTS040W-3K2LDNCNF1	GEN758	
Switch Only	600A		GTS	NEMA-3R	In/Out		650	66H x 36W x 20D			GTS060N-3K2LDNCNF1	GEN762	
Switch Only	800A		GTS	NEMA-3R	In/Out		700	66H x 36W x 20D			GTS080N-3K2LDNCNF1	GEN766	
Switch Only	1000A		GTS	NEMA-3R	In/Out		700	66H x 36W x 20D			GTS100N-3K2LDNCNF1	GEN770	
Switch Only	1200A		GTS	NEMA-3R	In/Out		1100	78H x 48W x 28D			GTS120N-3K2LDNCNF1	GEN773	
Switch Only	1600A		GTS	NEMA-3R	In/Out		1100	78H x 48W x 28D			GTS160N-3K2LDNCNF1	GEN776	
Switch Only	2000A		GTS	NEMA-3R	In/Out		1300	80H x 48W x 51D			GTS200N-3K2LDNCNF1	GEN779	
Switch Only	2600A		GTS	NEMA-3R	In/Out		1700	80H x 48W x 51D			GTS260N-3K2LDNCNF1	GEN782	
4-Pole Switch Only	100A		GTS	NEMA-3R	In/Out		180	36H x 24W x 10D			GTS010W-4K2LDNANF1	GEN697R	
4-Pole Switch Only	150A		GTS	NEMA-3R	In/Out		265	48H x 30W x 12D			GTS015W-4K2LDNANF1	GEN701R	
4-Pole Switch Only	200A		GTS	NEMA-3R	In/Out		265	48H x 30W x 12D			GTS020W-4K2LDNANF1	GEN705R	
4-Pole Switch Only	300A		GTS	NEMA-3R	In/Out		325	48H x 30W x 12D			GTS030W-4K2LDNANF1	GEN709R	
4-Pole Switch Only	400A		GTS	NEMA-3R	In/Out		325	48H x 30W x 12D			GTS040W-4K2LDNANF1	GEN713R	
4-Pole Switch Only	600A		GTS	NEMA-3R	In/Out		650	66H x 36W x 20D			GTS060N-4K2LDNBNF1	GEN717R	
4-Pole Switch Only	800A		GTS	NEMA-3R	In/Out		700	66H x 36W x 20D			GTS080N-4K2LDNBNF1	GEN721R	
4-Pole Switch Only	1000A		GTS	NEMA-3R	In/Out		700	66H x 36W x 20D			GTS100N-4K2LDNBNF1	GEN725R	
4-Pole Switch Only	1200A		GTS	NEMA-3R	In/Out		1100	78H x 48W x 28D			GTS120N-4K2LDNBNF1	GEN729R	
4-Pole Switch Only	1600A		GTS	NEMA-3R	In/Out		1100	78H x 48W x 28D			GTS160N-4K2LDNBNF1	GEN732R	
4-Pole Switch Only	2000A		GTS	NEMA-3R	In/Out		1300	80H x 48W x 51D			GTS200N-4K2LDNBNF1	GEN735R	
4-Pole Switch Only	2600A		GTS	NEMA-3R	In/Out		1700	80H x 48W x 51D			GTS260N-4K2LDNBNF1	GEN738R	
Options & Accessories -- for Standby Permanent Generators													
Options					Verifies self-test performed			Transtar			GSV300F1	GSV300	
Options					Strip Heater for Transfer Sw			EPS			STRHTRSF1	EPS003	
Options					36" Tank Adder 10-40kW Diesel			Generac			T1040F1	GEN937	
Options					36" Tank Adder 60-100kW Diesel			Generac			T60100F1	GEN938	
Options					Low Sound Encl SD 10-50kW			Generac			LSE1050F1	GEN940	
Options					Low Sound Encl SD 60kW			Generac			LSE60F1	GEN941	
Options					Low Sound Encl SD 80-100kW			Generac			LSE80100F1	GEN942	
Options					Low Sound Encl SD 135-200kW			Generac			LSE135200F1	GEN943	
Options					Low Sound Encl SD 230-300kW			Generac			LSE230300F1	GEN944	
Options					Low Sound Encl SD 300-400kW13L			Generac			LSE300400F1	GEN945	
Options					Low Sound Encl SD 500kW			Generac			LSE500F1	GEN946	
Options					Low Sound Encl SD 600kW			Generac			LSE600F1	GEN947	
Options					Low Sound Encl SG Ind. 35-45kW			Generac			LSEG3545F1	GEN948	
Options					Low Sound Encl SG Ind. 70-150kW			Generac			LSEG70150F1	GEN949	
Options					LowSoundEncl SG Ind 150-300kW			Generac			LSEG150300F1	GEN950	
Battery Warmer Kits					AirCooled units mfr prior 4/08			Generac			5634F1	GEN5634	
Battery Warmer Kits					AirCooled units mfr after 4/08			Generac			5635F1	GEN5635	
Battery Warmer Kits					For 1.6L engines (18,20,25,30)			Generac			5629F1	GEN5629	
Better Light & Power				Phone: 585-475-1321 or 800-475-1321								Eugene Henn, President	
2140 West Henrietta Road				Fax: 585-424-1190 or 800-475-4448								Catherine S. Henn, CFO/CIO	
Rochester, NY 14623				Email: Info@BetterPower.biz				Sec. 3, Page 5				WPL © 04-06-09 BL&P	

Section 3. Continued: Options & Accessories -- for Standby Permanent Generators									
Manufacturer Series		Description	Manufacturer	Model #	BL&P SKU				
Battery Warmer Kits		For 2.4L engines (22,25,27,45)	Generac	5630F1	GEN5630				
Battery Warmer Kits		For 4.2L engines (35,36,45,48)	Generac	5631F1	GEN5631				
Battery Warmer Kits		For all Direct Drive units	Generac	5632F1	GEN5632				
Battery Warmer Kits		For Gear Drive units (100&130)	Generac	5633F1	GEN5633				
Block/Coolant Heater Kits		For 1.6L engines (18,20,25,30)	Generac	5615F1	GEN5615				
Block/Coolant Heater Kits		For 2.4L engines (22,25,27,45)	Generac	5616F1	GEN5616				
Block/Coolant Heater Kits		For 4.2L engines (35,36,45,48)	Generac	5618F1	GEN5618				
Block/Coolant Heater Kits		For the 60kW w/ 3.0L engine	Generac	5617F1	GEN5617				
Block/Coolant Heater Kits		For the 80kW w/ 4.6L engine	Generac	5619F1	GEN5619				
Block/Coolant Heater Kits		For the 70kW, 100kW, & 130kW	Generac	5620F1	GEN5620				
Block/Coolant Heater Kits		For the 150kW	Generac	5667F1	GEN5667				
Remote Annunciator Panel		For H-100/21 lt/Surface Mt	Generac	5465F1	GEN082				
Remote Annunciator Panel		For H-100/21 lt/8 dry/Surf Mt	Generac	5464F1	GEN084				
Remote Annunciator Panel		For H-100/8 func relay/Surf Mt	Generac	5466F1	GEN086				
PowerMaster		Load Pref. Controller to 60kW	Generac	5239F1	GEN105				
Warranties, Services and Software -- for Standby Permanent Generators									
Extended Warranty	5 Years	For 8-40kW Generators	Generac	COMP5-40	GEN1002				
Extended Warranty	5 Years	For 41-100kW Generators	Generac	COMP5-100	GEN1003				
Extended Warranty	5 Years	For 101-150kW Generators	Generac	COMP5-150	GEN1004				
Extended Warranty	5 Years	For 151-400kW Generators	Generac	COMP5-400	GEN1005				
Extended Warranty	5 Years	For 401-500kW Generators	Generac	COMP5-500	GEN1006				
Extended Warranty	5 Years	For 501-750kW Generators	Generac	COMP5-750	GEN1007				
Extended Warranty	5 Years	For 30-104A Transfer Switches	Generac	COMP5-104A	GEN1008				
Extended Warranty	5 Years	For 105-260A TransferSwitches	Generac	COMP5-260A	GEN1009				
Extended Warranty	5 Years	For 400-800A TransferSwitches	Generac	COMP5-800A	GEN1010				
Extended Warranty	5 Years	For 1000A Transfer Switches	Generac	COMP5-1000A	GEN1011				
Extended Warranty	5 Years	For 1200A Transfer Switches	Generac	COMP5-1200A	GEN1012				
Extended Warranty	5 Years	For 1600A Transfer Switches	Generac	COMP5-1600A	GEN1013				
Extended Warranty	5 Years	For 2000A Transfer Switches	Generac	COMP5-2000A	GEN1014				
Extended Warranty	5 Years	For 2500A Transfer Switches	Generac	COMP5-2500A	GEN1015				
Extended Warranty	5 Years	For 3000A Transfer Switches	Generac	COMP5-3000A	GEN1016				
Extended Warranty	5 Years	For 4000A Transfer Switches	Generac	COMP5-4000A	GEN1017				
Services		On-Site Visit Review Service			SVR001				
Services		On-Site Visit Extra Mileage			SVR002				
Services		On-Site Visit Extra Time			SVR003				
Services		Startup Visit Extra Mileage			STS003				
Services		Startup Visit Extra Time			STS004				
Software		0E9062B Generac GenLink Kit	Generac		GEN471				
Software		0F7707 Generac Serial Cable	Generac		GEN472				
Software		0E2144 Generac Modem	Generac		GEN473				
Better Light & Power		Phone:	585-475-1321 or 800-475-1321		Eugene Henn, President				
2140 West Henrietta Road		Fax:	585-424-1190 or 800-475-4448		Catherine S. Henn, CFO/CIO				
Rochester, NY 14623		Email:	Info@BetterPower.biz		Sec. 3, Page 6		WPL © 04-06-09 BL&P		

Section 4: 120/240V 3ph GENERATORS and TRANSFER SWITCHES

120/240V Three Phase -- 10kW-600kW -- Standby Permanent Generators													
Manufacturer Series	Rated for		Req. (not incl.)		Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
	kW	Amp	Switch	Encl									
Diesel SD	10	30.1A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	0.96 GPH	35A	SD0010JDH1	GEN501
Diesel SD	15	45.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.25 GPH	50A	SD0015JDH1	GEN505
Diesel SD	20	60.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.67 GPH	70A	SD0020JDH1	GEN514
QT-NFPA	25	75A	HTS	Steel	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	100A	QTA02524JNSNAH1	GEN126
QT-NFPA	25	75A	HTS	Alumi	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	100A	QTA02524JNANAH1	GEN121
QT-NFPA	25	75A	HTS	Steel	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	100A	QTA02524JVSNAH1	GEN126P
QT-NFPA	25	75A	HTS	Alumi	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	100A	QTA02524JVANAH1	GEN121P
Diesel SD	25	75.3A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.08 GPH	90A	SD0025JDH1	GEN513
Diesel SD	30	90A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.5 GPH	100A	SD0030JDH1	GEN517
Industrial	35	105A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	541 CFH	125A	SG0035JSH1	GEN858
Industrial	35	105A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	5.7 GPH	125A	SG0035JSH1	GEN858P
Diesel SD	35	105A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	2.92 GPH	125A	SD0035JDH1	GEN653
Quiet Test	35	105A	RTS	Alumi	Nat Gas	2.4L	1800	1276	77L x 34W x 45H	503 CFH	60A	QT03624JNANF1	GEN233
Quiet Test	36	108A	RTS	Alumi	Propane	2.4L	1800	1276	77L x 34W x 45H	5.4 GPH	60A	QT03624JVANF1	GEN233P
Industrial	40	120A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	610 CFH	150A	SG0040JSH1	GEN862
Industrial	40	120A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	6.5 GPH	150A	SG0040JSH1	GEN862P
Diesel SD	40	120A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	3.33 GPH	150A	SD0040JDH1	GEN521
Industrial	45	135A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	695 CFH	150A	SG0045JSH1	GEN866
Industrial	43	129A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	7.3 GPH	150A	SG0045JSH1	GEN866P
Quiet Test	45	135A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	150A	QT04524JNSNF1	GEN289
Quiet Test	45	135A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	150A	QT04524JVSNF1	GEN289P
Quiet Test	46	138A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	150A	QT04842JNANF1	GEN238
Quiet Test	48	144A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	150A	QT04842JVANF1	GEN238P
Quiet Test	45Y	135A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	150A	QT04524JNSNF1	GEN289Y
Quiet Test	45Y	135A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	150A	QT04524JVSNF1	GEN289YP
Quiet Test	46Y	138A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	150A	QT04842JNANYF1	GEN238Y
Quiet Test	48Y	144A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	150A	QT04842JVANYF1	GEN238YP
Diesel SD	50	150A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	4.16 GPH	175A	SD0050JDH1	GEN663
QT-NFPA	55	165A	HTS	Steel	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	200A	QTA05554JNSNAH1	GEN136
QT-NFPA	55	165A	HTS	Alumi	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	200A	QTA05554JNANAH1	GEN176
QT-NFPA	55	165A	HTS	Steel	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	200A	QTA05554JVSNAH1	GEN136P
QT-NFPA	55	165A	HTS	Alumi	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	200A	QTA05554JVANAH1	GEN176P
Quiet Test	60	180A	RTS	Steel	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	200A	QT06024JNSNF1	GEN293
Quiet Test	60	180A	RTS	Steel	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	200A	QT06024JVSNF1	GEN293P
Quiet Test	60	180A	RTS	Alumi	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	200A	QT06024JNSNF1	GEN343
Quiet Test	60	180A	RTS	Alumi	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	200A	QT06024JVSNF1	GEN343P
Diesel SD	60	208A	GTS	Steel	Diesel	3.0L	1800	4250	130L x 40W x 55H	5.0 GPH	200A	SD0060JDH1	GEN659
Better Light & Power							Phone: 585-475-1321 or 800-475-1321				Eugene Henn, President		
2140 West Henrietta Road							Fax: 585-424-1190 or 800-475-4448				Catherine S. Henn, CFO/CIO		
Rochester, NY 14623							Email: Info@BetterPower.biz				Sec. 4, Page 1		

Section 4, Continued: 120/240V Three Phase -- 10kW-600kW -- Standby Permanent Generators														
Manufacturer Series	Rated for Continuous		Req. (not incl.)	Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU		
	KW	Amp	Switch											Encl
Quiet Test	70	210A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	250A	QT07068JNSNF1	GEN340	
Quiet Test	70	210A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	250A	QT07068JNANF1	GEN339	
Quiet Test	70	210A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.3 GPH	250A	QT07068JVSNF1	GEN340P	
Quiet Test	70	210A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.3 GPH	250A	QT07068JVANF1	GEN339P	
Quiet Test	70Y	210A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	250A	QT07068JNSNYF1	GEN340Y	
Quiet Test	70Y	210A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	250A	QT07068JNANYF1	GEN339Y	
Quiet Test	70Y	210A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.3 GPH	250A	QT07068JVSNYF1	GEN340YP	
Quiet Test	70Y	210A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.3 GPH	250A	QT07068JVANYF1	GEN339YP	
QT-NFPA	70	210A	HTS	Steel	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	250A	QTA07068JNSNAH1	GEN141	
QT-NFPA	70	210A	HTS	Alumi	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	250A	QTA07068JNANAH1	GEN181	
QT-NFPA	70	210A	HTS	Steel	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	250A	QTA07068JVSNAH1	GEN141P	
QT-NFPA	70	210A	HTS	Alumi	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	250A	QTA07068JVANAH1	GEN181P	
Industrial	70	210A	GTS	Steel	Nat Gas	6.8L	1800	1950	111L x 40W x 55H	867 CFH	250A	SG0070JSH1	GEN883	
Industrial	70	210A	GTS	Steel	Propane	6.8L	1800	1950	111L x 40W x 55H	867 CFH	250A	SG0070JSH1	GEN883P	
Quiet Test	80	240A	HTS	Steel	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	300A	QT08046JNSNF1	GEN344	
Quiet Test	80	240A	HTS	Alumi	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	300A	QT08046JNANF1	GEN349	
Quiet Test	80	240A	HTS	Steel	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	300A	QT08046JVSNF1	GEN344P	
Quiet Test	80	240A	HTS	Alumi	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	300A	QT08046JVANF1	GEN349P	
QT-NFPA	80	240A	HTS	Steel	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	300A	QTA08054JNSNAH1	GEN162	
QT-NFPA	80	240A	HTS	Alumi	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	300A	QTA08054JNANAH1	GEN186	
QT-NFPA	80	240A	HTS	Steel	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	300A	QTA08054JVSNAH1	GEN162P	
QT-NFPA	80	240A	HTS	Alumi	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	300A	QTA08054JVANAH1	GEN186P	
Diesel SD	80	278A	GTS	Steel	Diesel	4.5L	1800	4350	135L x 40W x 55H	6.3 GPH	250A	SD0080JDH1	GEN669	
Quiet Test	100	301A	HTS	Steel	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	350A	QT10068JNSNF1	GEN364	
Quiet Test	100	301A	HTS	Alumi	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	350A	QT10068JNANF1	GEN369	
Quiet Test	100	301A	HTS	Steel	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	350A	QT10068JVSNF1	GEN364P	
Quiet Test	100	301A	HTS	Alumi	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	350A	QT10068JVANF1	GEN369P	
QT-NFPA	100	300A	HTS	Steel	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	350A	QTA10068JNSNAH1	GEN151	
QT-NFPA	100	300A	HTS	Alumi	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	350A	QTA10068JNANAH1	GEN191	
QT-NFPA	100	300A	HTS	Steel	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	350A	QTA10068JVSNAH1	GEN151P	
QT-NFPA	100	300A	HTS	Alumi	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	350A	QTA10068JVANAH1	GEN191P	
Diesel SD	100	301A	GTS	Steel	Diesel	4.5L	1800	4500	135L x 40W x 55H	7.7 GPH	350A	SD0100JDH1	GEN679	
Industrial	100	316A	GTS	Steel	Nat Gas	6.8L	2300	2950	154L x 41W x 63.1H	1158 CFH	350A	SG0100JSH1	GEN887	
Industrial	100	316A	GTS	Steel	Propane	6.8L	2300	2950	154L x 41W x 63.1H	1158 CFH	350A	SG0100JSH1	GEN887P	
Quiet Test	130	391A	HTS	Steel	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	400A	QT13068JNSNF1	GEN374	
Quiet Test	130	391A	HTS	Alumi	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	400A	QT13068JNANF1	GEN379	
Quiet Test	130	391A	HTS	Steel	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	400A	QT13068JVSNF1	GEN374P	
Quiet Test	130	391A	HTS	Alumi	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	400A	QT13068JVANF1	GEN379P	
QT-NFPA	130	390A	HTS	Steel	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	400A	QTA13068JNSNAH1	GEN156	
QT-NFPA	130	390A	HTS	Alumi	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	400A	QTA13068JNANAH1	GEN196	
QT-NFPA	130	390A	HTS	Steel	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	400A	QTA13068JVSNAH1	GEN156P	
QT-NFPA	130	390A	HTS	Alumi	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	400A	QTA13068JVANAH1	GEN196P	
Better Light & Power					Phone: 585-475-1321 or 800-475-1321					Eugene Henn, President				
2140 West Henrietta Road					Fax: 585-424-1190 or 800-475-4448					Catherine S. Henn, CFO/CIO				
Rochester, NY 14623					Email: Info@BetterPower.biz					Sec. 4, Page 2				

Section 4, Continued: 120/240V Three Phase -- 10kW-600kW -- Standby Permanent Generators																
Manufacturer Series	Rated for Continuous		Req. (not incl.)	Type of Encl	Engine Fuel	Full Load RPM	Full Load Wgt	Dimensions			Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU		
	KW	Amp	Switch					L x W x H								
Industrial Diesel SD	130	406A	GTS	Steel	Nat Gas	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	450A	SG0130JSH1	GEN891			
Industrial Diesel SD	135	468A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	9.89 GPH	450A	SD0135JDH1	GEN673			
Quiet Test	150	451A	HTS	Steel	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	500A	QT15068JNSNF1	GEN384			
Quiet Test	150	451A	HTS	Alumi	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	500A	QT15068JNANF1	GEN389			
Quiet Test	150	451A	HTS	Steel	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	500A	QT15068JVSNF1	GEN384P			
Quiet Test	150	451A	HTS	Alumi	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	500A	QT15068JVANF1	GEN389P			
QT-NFPA	150	451A	HTS	Steel	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	500A	QTA15068JNSNAH1	GEN189			
QT-NFPA	150	451A	HTS	Alumi	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	500A	QTA15068JNANAH1	GEN116			
QT-NFPA	150	451A	HTS	Steel	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	500A	QTA15068JVSNAH1	GEN189P			
QT-NFPA	150	451A	HTS	Alumi	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	500A	QTA15068JVANAH1	GEN116P			
Industrial Diesel SD	150	451A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	10.83 GPH	500A	SD0150JDH1	GEN683			
Industrial Diesel SD	150	451A	GTS	Steel	Nat Gas	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	500A	SG0150JSH1	GEN895			
Industrial Diesel SD	150	451A	GTS	Steel	Propane	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	500A	SG0150JSH1	GEN895P			
Industrial Diesel SD	150	452A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	500A	SG0150JSH1	GEN581			
Industrial Diesel SD	150	452A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	500A	SG0150JSH1	GEN581P			
Industrial Diesel SD	175	527A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2200 CFH	600A	SG0175JSH1	GEN574			
Industrial Diesel SD	175	527A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2200 CFH	600A	SG0175JSH1	GEN574P			
Industrial Diesel SD	180	541A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	12.8 GPH	600A	SD0180JDH1	GEN689			
Industrial Diesel SD	200	601A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	14.2 GPH	630A	SD0200JDH1	GEN693			
Industrial Diesel SD	200	619A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	630A	SG0200JSH1	GEN579			
Industrial Diesel SD	200	619A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	630A	SG0200JSH1	GEN579P			
Industrial Diesel SD	230	692A	GTS	Steel	Diesel	9.0L	1800	7250	202L x 58W x 77H	16.8 GPH	700A	SD0230JDH1	GEN647			
Industrial Diesel SD	250	753A	GTS	Steel	Diesel	9.0L	1800	7650	202L x 58W x 77H	18.3 GPH	800A	SD0250JDH1	GEN641			
Industrial Diesel SD	250	752A	GTS	Steel	Nat Gas	13.3L	2300	9000	202L x 58W x 77H	3446 CFH	800A	SG0250JSH1	GEN589			
Industrial Diesel SD	250	752A	GTS	Steel	Propane	13.3L	2300	9000	202L x 58W x 77H	3446 CFH	800A	SG0250JSH1	GEN589P			
Industrial Diesel SD	275	828A	GTS	Steel	Diesel	9.0L	1800	7250	202L x 58W x 77H	20.1 GPH	900A	SD0275JDH1	GEN648			
Industrial Diesel SD	275	827A	GTS	Steel	Nat Gas	13.3L	2300	9200	202L x 58W x 77H	3792 CFH	900A	SG0275JSH1	GEN594			
Industrial Diesel SD	275	827A	GTS	Steel	Propane	13.3L	2300	9200	202L x 58W x 77H	3792 CFH	900A	SG0275JSH1	GEN594P			
Industrial Diesel SD	300	902A	GTS	Steel	Diesel	9.0L	1800	8500	202L x 58W x 77H	21.9 GPH	1000A	SD0300JDH1	GEN640			
Industrial Diesel SD	300	903A	GTS	Steel	Diesel	13.5L	1800	7950	200L x 58W x 77H	22.0 GPH	1000A	SD0300JDH1	GEN642			
Industrial Diesel SD	300	902A	GTS	Steel	Nat Gas	13.3L	2300	9200	202L x 58W x 77H	4100 CFH	1000A	SG0300JSH1	GEN599			
Industrial Diesel SD	300	902A	GTS	Steel	Propane	13.3L	2300	9200	202L x 58W x 77H	4100 CFH	1000A	SG0300JSH1	GEN599P			
Industrial Diesel SD	350	1052A	GTS	Steel	Diesel	13.5L	1800	7950	200L x 58W x 77H	26.4 GPH	1200A	SD0350JDH1	GEN643			
Industrial Diesel SD	400	1203A	GTS	Steel	Diesel	13.5L	1800	7950	200L x 58W x 77H	30.5 GPH	1400A	SD0400JDH1	GEN644			
Industrial Diesel SD	500	1504A	GTS	Steel	Diesel	18.0L	1800	6825	128L x 57W x 76H	33.0 GPH	1800A	SD0500JDH1	GEN649			
Industrial Diesel SD	600	1804A	GTS	Steel	Diesel	22.0L	1800	14,400	165L x 71W x 118H	46.2 GPH	2000A	SD0600JDH1	GEN646			
Industrial Bi-Fuel	600	1805A	GTS	Steel	Dsl/NGas	22.0L	1800	7182	166L x 71W x 119H	43.3 GPH	2000A	SB0600JDH1	GEN684			
120/240V Three Phase -- Automatic Transfer Switches -- Type RTS																
Switch Only		100A	RTS	NEMA-3R Indoor/Outdoor				49	24H x 20W x 7D				RTSN100J3F1	GEN311		
Switch Only		200A	RTS	NEMA-3R Indoor/Outdoor				49	20H x 15W x 7D				RTSN200J3F1	GEN312		
Switch Only		400A	RTS	NEMA-3R Indoor/Outdoor				107	36H x 24W x 10D				RTSN400J3F1	GEN313		
Better Light & Power							Phone: 585-475-1321 or 800-475-1321							Eugene Henn, President		
2140 West Henrietta Road							Fax: 585-424-1190 or 800-475-4448							Catherine S. Henn, CFO/CIO		
Rochester, NY 14623							Email: Info@BetterPower.biz							WPL © 04-06-09 BL&P		
Sec. 4, Page 3																

Section 4, Continued: 120/240V Three Phase -- Automatic Transfer Switches -- Type HTS														
Manufacturer	Rated for		Req.	Type of	Engine	Load	Dimensions			Full	Gen	Manufacturer	BL&P	
Series	<u>Continuous</u>	(not incl.)	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU	
Switch Only	100A	HTS	NEMA-1	Indoor Only				105	36H x 24W x 10D			HTSN100J1CF1	GEN394	
Switch Only	200A	HTS	NEMA-1	Indoor Only				110	36H x 24W x 10D			HTSN200J1CF1	GEN414	
Switch Only	300A	HTS	NEMA-1	Indoor Only				130	36H x 24W x 10D			HTSN300J1CF1	GEN424	
Switch Only	400A	HTS	NEMA-1	Indoor Only				130	36H x 24W x 10D			HTSN400J1CF1	GEN434	
Switch Only	600A	HTS	NEMA-12	Indoor Only				660	66H x 36W x 20D			HTSN600J4F1	GEN444	
Switch Only	800A	HTS	NEMA-12	Indoor Only				710	66H x 36W x 20D			HTSN800J4F1	GEN449	
Switch Only	1000A	HTS	NEMA-12	Indoor Only				710	66H x 36W x 20D			HTSN1000J4F1	GEN926	
Switch Only	1200A	HTS	NEMA-12	Indoor Only				1110	78H x 48W x 24D			HTSN1200J4F1	GEN928	
Switch Only	1600A	HTS	NEMA-12	Indoor Only				1110	78H x 48W x 24D			HTSN1600J4F1	GEN930	
Switch Only	2000A	HTS	NEMA-12	Indoor Only				1310	80H x 48W x 48D			HTSN2000J4F1	GEN932	
Switch Only	2600A	HTS	NEMA-12	Indoor Only				1710	80H x 48W x 48D			HTSN2600J4F1	GEN934	
Switch Only	100A	HTS	NEMA-3R	In/Out				105	36H x 24W x 10D			HTSN100J3CF1	GEN399	
Switch Only	200A	HTS	NEMA-3R	Indoor/Outdoor				110	36H x 24W x 10D			HTSN200J3CF1	GEN419	
Switch Only	300A	HTS	NEMA-3R	Indoor/Outdoor				130	36H x 24W x 10D			HTSN300J3CF1	GEN429	
Switch Only	400A	HTS	NEMA-3R	Indoor/Outdoor				130	36H x 24W x 10D			HTSN400J3CF1	GEN439	
Switch Only	600A	HTS	NEMA-3R	Indoor/Outdoor				660	66H x 36W x 20D			HTSN600J3F1	GEN454	
Switch Only	800A	HTS	NEMA-3R	Indoor/Outdoor				710	66H x 36W x 20D			HTSN800J3F1	GEN455	
Switch Only	1000A	HTS	NEMA-3R	Indoor/Outdoor				710	66H x 36W x 20D			HTSN1000J3F1	GEN927	
Switch Only	1200A	HTS	NEMA-3R	Indoor/Outdoor				1110	78H x 48W x 24D			HTSN1200J3F1	GEN929	
Switch Only	1600A	HTS	NEMA-3R	Indoor/Outdoor				1110	78H x 48W x 24D			HTSN1600J3F1	GEN931	
Switch Only	2000A	HTS	NEMA-3R	Indoor/Outdoor				1310	80H x 48W x 48D			HTSN2000J3F1	GEN933	
Switch Only	2600A	HTS	NEMA-3R	Indoor/Outdoor				1710	80H x 48W x 48D			HTSN2600J3F1	GEN935	
120/240V Three Phase -- Automatic Transfer Switches -- Type GTS														
Switch Only	100A	GTS	NEMA-1	Indoor Only				105	36H x 24W x 10D			GTS010W-3J2LDNANF1	GEN564	
Switch Only	150A	GTS	NEMA-1	Indoor Only				110	36H x 24W x 10D			GTS015W-3J2LDNANF1	GEN565	
Switch Only	200A	GTS	NEMA-1	Indoor Only				110	36H x 24W x 10D			GTS020W-3J2LDNANF1	GEN566	
Switch Only	300A	GTS	NEMA-1	Indoor Only				130	36H x 24W x 10D			GTS030W-3J2LDNANF1	GEN567	
Switch Only	400A	GTS	NEMA-1	Indoor Only				130	36H x 24W x 10D			GTS040W-3J2LDNANF1	GEN568	
Switch Only	600A	GTS	NEMA-1	Indoor Only				650	66H x 36W x 20D			GTS060N-3J2LDNBNF1	GEN569	
Switch Only	800A	GTS	NEMA-1	Indoor Only				680	66H x 36W x 20D			GTS080N-3J2LDNBNF1	GEN570	
Switch Only	1000A	GTS	NEMA-1	Indoor Only				700	66H x 36W x 20D			GTS100N-3J2LDNBNF1	GEN600	
Switch Only	1200A	GTS	NEMA-1	Indoor Only				1100	78H x 48W x 28D			GTS120N-3J2LDNBNF1	GEN603	
Switch Only	1600A	GTS	NEMA-1	Indoor Only				1100	78H x 48W x 28D			GTS160N-3J2LDNBNF1	GEN608	
Switch Only	2000A	GTS	NEMA-1	Indoor Only				1300	80H x 48W x 51D			GTS200N-3J2LDNBNF1	GEN613	
Switch Only	2600A	GTS	NEMA-1	Indoor Only				1700	80H x 48W x 51D			GTS260N-3J2LDNBNF1	GEN618	
Switch Only	100A	GTS	NEMA-3R	In/Out				105	36H x 24W x 10D			GTS010W-3J2LDNCNF1	GEN741	
Switch Only	150A	GTS	NEMA-3R	In/Out				110	36H x 24W x 10D			GTS015W-3J2LDNCNF1	GEN745	
Switch Only	200A	GTS	NEMA-3R	In/Out				110	36H x 24W x 10D			GTS020W-3J2LDNCNF1	GEN749	
Switch Only	300A	GTS	NEMA-3R	In/Out				130	36H x 24W x 10D			GTS030W-3J2LDNCNF1	GEN753	
Switch Only	400A	GTS	NEMA-3R	In/Out				130	36H x 24W x 10D			GTS040W-3J2LDNCNF1	GEN757	
Switch Only	600A	GTS	NEMA-3R	In/Out				650	66H x 36W x 20D			GTS060N-3J2LDNCNF1	GEN761	
Switch Only	800A	GTS	NEMA-3R	In/Out				680	66H x 36W x 20D			GTS080N-3J2LDNCNF1	GEN765	
Better Light & Power							Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President	
2140 West Henrietta Road							Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO	
Rochester, NY 14623							Email: Info@BetterPower.biz				Sec. 4, Page 4		WPL © 04-06-09 BL&P	

Section 4, Continued: 120/240V Three Phase -- Automatic Transfer Switches -- Type GTS												
Manufacturer	Rated for	Req.				Full			Full	Gen	Manufacturer	BL&P
Series	<u>Continuous</u>	(not incl.)	Type of	Engine	Load		Dimensions	Load	Brkr		Model #	SKU
	<u>kW</u>	<u>Amp</u>	<u>Switch</u>	<u>Encl</u>	<u>Fuel</u>	<u>Size</u>	<u>RPM</u>	<u>Wgt</u>	<u>L x W x H</u>	<u>CFH/GPH</u>	<u>Amp</u>	
Switch Only	1000A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D			GTS100N-3J2LDNCNF1	GEN769
Switch Only	1200A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS120N-3J2LDNCNF1	GEN772
Switch Only	1600A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS160N-3J2LDNCNF1	GEN775
Switch Only	2000A	GTS	NEMA-3R	In/Out			1300	80H x 48W x 51D			GTS200N-3J2LDNCNF1	GEN778
Switch Only	2600A	GTS	NEMA-3R	In/Out			1700	80H x 48W x 51D			GTS260N-3J2LDNCNF1	GEN781
4-Pole Switch Only	100A	GTS	NEMA-3R	In/Out			105	36H x 24W x 10D			GTS010W-4J2LDNANF1	GEN696R
4-Pole Switch Only	150A	GTS	NEMA-3R	In/Out			110	36H x 24W x 10D			GTS015W-4J2LDNANF1	GEN700R
4-Pole Switch Only	200A	GTS	NEMA-3R	In/Out			110	36H x 24W x 10D			GTS020W-4J2LDNANF1	GEN704R
4-Pole Switch Only	300A	GTS	NEMA-3R	In/Out			130	36H x 24W x 10D			GTS030W-4J2LDNANF1	GEN708R
4-Pole Switch Only	400A	GTS	NEMA-3R	In/Out			130	36H x 24W x 10D			GTS040W-4J2LDNANF1	GEN712R
4-Pole Switch Only	600A	GTS	NEMA-3R	In/Out			650	66H x 36W x 20D			GTS060N-4J2LDNBNF1	GEN716R
4-Pole Switch Only	800A	GTS	NEMA-3R	In/Out			680	66H x 36W x 20D			GTS080N-4J2LDNBNF1	GEN720R
4-Pole Switch Only	1000A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D			GTS100N-4J2LDNBNF1	GEN724R
4-Pole Switch Only	1200A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS120N-4J2LDNBNF1	GEN728R
4-Pole Switch Only	1600A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS160N-4J2LDNBNF1	GEN731R
4-Pole Switch Only	2000A	GTS	NEMA-3R	In/Out			1300	80H x 48W x 51D			GTS200N-4J2LDNBNF1	GEN734R
4-Pole Switch Only	2600A	GTS	NEMA-3R	In/Out			1700	80H x 48W x 51D			GTS260N-4J2LDNBNF1	GEN737R
Options & Accessories -- for Standby Permanent Generators												
Manufacturer											Manufacturer	BL&P
Series			<u>Description</u>				<u>Manufacturer</u>				<u>Model #</u>	<u>SKU</u>
Options			Verifies self-test performed				Transtar				GSV300F1	GSV300
Options			Strip Heater for Transfer Sw				EPS				STRHTRSF1	EPS003
Options			36" Tank Adder 10-40kW Diesel				Generac				T1040F1	GEN937
Options			36" Tank Adder 60-100kW Diesel				Generac				T60100F1	GEN938
Options			Low Sound Encl SD 10-50kW				Generac				LSE1050F1	GEN940
Options			Low Sound Encl SD 60kW				Generac				LSE60F1	GEN941
Options			Low Sound Encl SD 80-100kW				Generac				LSE80100F1	GEN942
Options			Low Sound Encl SD 135-200kW				Generac				LSE135200F1	GEN943
Options			Low Sound Encl SD 230-300kW				Generac				LSE230300F1	GEN944
Options			Low Sound Encl SD 300-400kW13L				Generac				LSE300400F1	GEN945
Options			Low Sound Encl SD 500kW				Generac				LSE500F1	GEN946
Options			Low Sound Encl SD 600kW				Generac				LSE600F1	GEN947
Options			Low Sound Encl SG Ind. 35-45kW				Generac				LSEG3545F1	GEN948
Options			Low Sound Encl SG Ind.70-150kW				Generac				LSEG70150F1	GEN949
Options			LowSoundEncl SG Ind 150-300kW				Generac				LSEG150300F1	GEN950
Battery Warmer Kits			AirCooled units mfr prior 4/08				Generac				5634F1	GEN5634
Battery Warmer Kits			AirCooled units mfr after 4/08				Generac				5635F1	GEN5635
Battery Warmer Kits			For 1.6L engines (18,20,25,30)				Generac				5629F1	GEN5629
Battery Warmer Kits			For 2.4L engines (22,25,27,45)				Generac				5630F1	GEN5630
Battery Warmer Kits			For 4.2L engines (35,36,45,48)				Generac				5631F1	GEN5631
Better Light & Power						Phone: 585-475-1321 or 800-475-1321				Eugene Henn, President		
2140 West Henrietta Road						Fax: 585-424-1190 or 800-475-4448				Catherine S. Henn, CFO/CIO		
Rochester, NY 14623						Email: Info@BetterPower.biz				Sec. 4, Page 5		
										WPL © 04-06-09 BL&P		

Section 4, Continued: Options & Accessories -- for Standby Permanent Generators											
Manufacturer Series		Description	Manufacturer	Manufacturer Model #	BL&P SKU						
Battery Warmer Kits		For all Direct Drive units	Generac	5632F1	GEN5632						
Battery Warmer Kits		For Gear Drive units (100&130)	Generac	5633F1	GEN5633						
Block/Coolant Heater Kits		For 1.6L engines (18,20,25,30)	Generac	5615F1	GEN5615						
Block/Coolant Heater Kits		For 2.4L engines (22,25,27,45)	Generac	5616F1	GEN5616						
Block/Coolant Heater Kits		For 4.2L engines (35,36,45,48)	Generac	5618F1	GEN5618						
Block/Coolant Heater Kits		For the 60kW w/ 3.0L engine	Generac	5617F1	GEN5617						
Block/Coolant Heater Kits		For the 80kW w/ 4.6L engine	Generac	5619F1	GEN5619						
Block/Coolant Heater Kits		For the 70kW, 100kW, & 130kW	Generac	5620F1	GEN5620						
Block/Coolant Heater Kits		For the 150kW	Generac	5667F1	GEN5667						
Remote Annunciator Panel		For H-100/21 lt/Surface Mt	Generac	5465F1	GEN082						
Remote Annunciator Panel		For H-100/21 lt/8 dry/Surf Mt	Generac	5464F1	GEN084						
Remote Annunciator Panel		For H-100/8 func relay/Surf Mt	Generac	5466F1	GEN086						
PowerMaster		Load Pref. Controller to 60kW	Generac	5239F1	GEN105						
Warranties, Services and Software -- for Standby Permanent Generators											
Note: Generac Warranty requires use of Generac-brand parts only.											
Extended Warranty	5 Years	For 8-40kW Generators	Generac	COMP5-40	GEN1002						
Extended Warranty	5 Years	For 41-100kW Generators	Generac	COMP5-100	GEN1003						
Extended Warranty	5 Years	For 101-150kW Generators	Generac	COMP5-150	GEN1004						
Extended Warranty	5 Years	For 151-400kW Generators	Generac	COMP5-400	GEN1005						
Extended Warranty	5 Years	For 401-500kW Generators	Generac	COMP5-500	GEN1006						
Extended Warranty	5 Years	For 501-750kW Generators	Generac	COMP5-750	GEN1007						
Extended Warranty	5 Years	For 30-104A Transfer Switches	Generac	COMP5-104A	GEN1008						
Extended Warranty	5 Years	For 105-260A Transfer Switches	Generac	COMP5-260A	GEN1009						
Extended Warranty	5 Years	For 400-800A Transfer Switches	Generac	COMP5-800A	GEN1010						
Extended Warranty	5 Years	For 1000A Transfer Switches	Generac	COMP5-1000A	GEN1011						
Extended Warranty	5 Years	For 1200A Transfer Switches	Generac	COMP5-1200A	GEN1012						
Extended Warranty	5 Years	For 1600A Transfer Switches	Generac	COMP5-1600A	GEN1013						
Extended Warranty	5 Years	For 2000A Transfer Switches	Generac	COMP5-2000A	GEN1014						
Extended Warranty	5 Years	For 2500A Transfer Switches	Generac	COMP5-2500A	GEN1015						
Extended Warranty	5 Years	For 3000A Transfer Switches	Generac	COMP5-3000A	GEN1016						
Extended Warranty	5 Years	For 4000A Transfer Switches	Generac	COMP5-4000A	GEN1017						
Services		On-Site Visit Review Service			SVR001						
Services		On-Site Visit Extra Mileage			SVR002						
Services		On-Site Visit Extra Time			SVR003						
Services		Startup Visit Extra Mileage			STS003						
Services		Startup Visit Extra Time			STS004						
Software		0E9062B Generac GenLink Kit	Generac		GEN471						
Software		0F7707 Generac Serial Cable	Generac		GEN472						
Software		0E2144 Generac Modem	Generac		GEN473						
Better Light & Power		Phone: 585-475-1321 or 800-475-1321				Eugene Henn, President					
2140 West Henrietta Road		Fax: 585-424-1190 or 800-475-4448				Catherine S. Henn, CFO/CIO					
Rochester, NY 14623		Email: Info@BetterPower.biz		Sec. 4, Page 6		WPL © 04-06-09 BL&P					

Generac Modular Power Systems (MPS)

Multiple Generator Combinations

MPS combines the output of multiple smaller gensets to provide power from **100 - 9000 kW** without the addition of expensive switchgear.

MPS allows you to accommodate potential growth. Simply buy the system you need today and easily add gensets as your power needs increase. No need to replace the entire system or purchase a large system that might never be required.

MPS provides redundant backup for greater system reliability.

MPS allows individual gensets to be taken offline for service without losing coverage of the critical load.

Additional gensets can be added quickly and easily.

MPS gensets can be separated and are light enough for roof mounting, so you can take better advantage of available space.

Fuel Options:

Gaseous: **100 - 4500kW**

Diesel: **300 - 9000kW**

Bi-Fuel™: **600 - 9000kW**

Combination: **300 - 9000kW**

Enclosure

MQT Units: priced for Steel enclosures - Upgrade to Aluminum is available per unit.

MG, MD, & Bi-Fuel Units: priced w/ Outdoor Weather enclosure - Upgrade to Sound Attenuated available per unit.

Gemini: Available in Sound Attenuated Enclosure only.

Pricing:

When buying just one unit the Base model (denoted - b) is required. If buying two or more units; 1 base model and the corresponding number of extension units (denoted - e) are required for ordering.

MPS combination requirements:

MQT100 can only be matched with MQT100's - (Gaseous)

MQT150 can only be matched with MQT150's - (Gaseous)

MG200's, MD500's, MD600's, Gemini, & Bi-Fuel, can all be mixed and matched together - (Gaseous, Diesel, Bi-Fuel: Diesel & Gaseous)

Examples; these are a few of the many possible combinations:

200kW:

1 - MQT100 - base unit
1 - MQT100 - extension units
Total units needed = 2
Total kW output = 200kW

200kW:

1 - MG200 - base unit
Total units needed = 1
Total kW output = 200kW

300kW:

1 - MQT150 - base unit
1 - MQT150 - extension units
Total units needed = 2
Total kW output = 300kW

600kW:

1 - MQT150 - base unit
3 - MQT150 - extension units
Total units needed = 4
Total kW output = 600kW

600kW:

1 - MQT100 - base unit
5 - MQT100 - extension units
Total units needed = 6
Total kW output = 600kW

600kW:

1 - MG200 - base unit
2 - MG200 - extension unit
Total units needed = 3
Total kW output = 600kW

600kW:

1 - MD600 - base unit
Total units needed = 1
Total kW output = 600kW

600kW:

1 - MB600 - base unit
(Bi-Fuel)
Total units needed = 1
Total kW output = 600kW

900kW:

1 - MQT150 - base unit
5 - MQT150 - extension units
Total units needed = 6
Total kW output = 900kW

2000kW:

1 - MG200 - base unit
9 - MG200 - extension unit
Total units needed = 10
Total kW output = 2000kW

2000kW:

1 - MD500 - base unit
3 - MD500 - extension unit
Total units needed = 4
Total kW output = 2000kW

2000kW:

1 - MD600 - base unit
2 - MD600 - extension unit
1 - MG200 - extension unit
Total units needed = 4
Total kW output = 2000kW

2000kW:

2 - Gemini units
Total units needed = 2
Total kW output = 2000kW

2000kW:

1 - MB600 - base unit
1 - MD600 - extension unit
4 - MG200 - extension unit
Total units needed = 6
Total kW output = 2000kW

2000kW:

1 - MB600 - base unit
2 - MB600 - extension unit
1 - MG200 - extension unit
Total units needed = 4
Total kW output = 2000kW

2000kW:

1 - Gemini unit
2 - MD500 - extension unit
Total units needed = 3
Total kW output = 2000kW

2000kW:

1 - MB600 - base unit
2 - MD600 - extension unit
1 - MG200 - extension unit
Total units needed = 4
Total kW output = 2000kW

2000kW:

1 - MB600 - base unit
1 - MB600 - extension unit
1 - MD600 - extension unit
1 - MG200 - extension unit
Total units needed = 4
Total kW output = 2000kW

For more information on Modular Units or for help determining project needs please contact us:

Better Light & Power
2140 West Henrietta Road
Rochester, NY 14623

Phone: 585-475-1321 or 800-475-1321
Fax: 585-424-1190 or 800-475-4448
Email: Info@BetterPower.biz

Sec. 5, Table of Contents

Eugene Henn, President
Catherine S. Henn, CFO/CIO
WPL © 04-06-09 BL&P

Section 5: 120/208V Three Phase -- 100kW - 200kW - Standby Modular Generators																	
Manufacture	Rated for		Req.				Full			Full	Gen						
Series	Continuous	Amp	(not incl.) Switch	Encl	Type of Fuel	Engine Size	Load RPM	Wgt	Dimensions L x W x H	Load CFH/GPH	Brkr Amp	Manufacturer Model #	BL&P SKU				
Modular	100	417A	GTS	Steel	Nat Gas	6.8L V10	2300	2880	116L x 37W x 55H	1260 CFH	400A	MQT10068GNSNMH1-b	GEN791				
Modular	100	417A	GTS	Steel	Nat Gas	6.8L V10	2300	2880	116L x 37W x 55H	1260 CFH	400A	MQT10068GNSNMH1-e	GEN792				
Modular	150	520A	GTS	Steel	Nat Gas	6.8L V10	3600	2841	116L x 37W x 55H	2061 CFH	600A	MQT15068GNSNMH1-b	GEN795				
Modular	150	520A	GTS	Steel	Nat Gas	6.8L V10	3600	2841	116L x 37W x 55H	2061 CFH	600A	MQT15068GNSNMH1-e	GEN796				
Modular	200	695A	GTS	Steel	Nat Gas	13.3L	1800	6600	162L x 58W x 69H	2550 CFH	800A	MG0200GMH1-b	GEN783				
Modular	200	695A	GTS	Steel	Nat Gas	13.3L	1800	6600	162L x 58W x 69H	2550 CFH	800A	MG0200GMH1-e	GEN784				
120/208V Three Phase -- Automatic Transfer Switches -- Type HTS																	
Switch Only		100A	HTS	NEMA-1 Indoor Only				105	36H x 24W x 10D				HTSN100G1CF1	GEN392			
Switch Only		150A	HTS	NEMA-1 Indoor Only				110	36H x 24W x 10D				HTSN150G1CF1	GEN402			
Switch Only		200A	HTS	NEMA-1 Indoor Only				110	36H x 24W x 10D				HTSN200G1CF1	GEN412			
Switch Only		300A	HTS	NEMA-1 Indoor Only				130	36H x 24W x 10D				HTSN300G1CF1	GEN422			
Switch Only		400A	HTS	NEMA-1 Indoor Only				130	36H x 24W x 10D				HTSN400G1CF1	GEN432			
Switch Only		600A	HTS	NEMA-12 Indoor Only				650	66H x 36W x 20D				HTSN600G4CF1	GEN442			
Switch Only		800A	HTS	NEMA-12 Indoor Only				680	66H x 36W x 20D				HTSN800G4CF1	GEN447			
Switch Only		1000A	HTS	NEMA-12 Indoor Only				710	66H x 36W x 20D				HTSN1000G4F1	GEN906			
Switch Only		1200A	HTS	NEMA-12 Indoor Only				1110	78H x 48W x 24D				HTSN1200G4F1	GEN908			
Switch Only		1600A	HTS	NEMA-12 Indoor Only				1110	78H x 48W x 24D				HTSN1600G4F1	GEN910			
Switch Only		2000A	HTS	NEMA-12 Indoor Only				1310	80H x 48W x 48D				HTSN2000G4F1	GEN912			
Switch Only		2600A	HTS	NEMA-12 Indoor Only				1710	80H x 48W x 48D				HTSN2600G4F1	GEN914			
Switch Only		100A	HTS	NEMA-3R In/Out				105	36H x 24W x 10D				HTSN100G3CF1	GEN397			
Switch Only		150A	HTS	NEMA-3R Indoor/Outdoor				110	36H x 24W x 10D				HTSN150G3CF1	GEN407			
Switch Only		200A	HTS	NEMA-3R Indoor/Outdoor				110	36H x 24W x 10D				HTSN200G3CF1	GEN417			
Switch Only		300A	HTS	NEMA-3R Indoor/Outdoor				130	36H x 24W x 10D				HTSN300G3CF1	GEN427			
Switch Only		400A	HTS	NEMA-3R Indoor/Outdoor				130	36H x 24W x 10D				HTSN400G3CF1	GEN437			
Switch Only		600A	HTS	NEMA-3R Indoor/Outdoor				650	66H x 36W x 20D				HTSN600G3CF1	GEN452			
Switch Only		800A	HTS	NEMA-3R In/Out				680	66H x 36W x 20D				HTSN800G3CF1	GEN457			
Switch Only		1000A	HTS	NEMA-3R Indoor/Outdoor				710	66H x 36W x 20D				HTSN1000G3F1	GEN907			
Switch Only		1200A	HTS	NEMA-3R Indoor/Outdoor				1110	78H x 48W x 24D				HTSN1200G3F1	GEN909			
Switch Only		1600A	HTS	NEMA-3R Indoor/Outdoor				1110	78H x 48W x 24D				HTSN1600G3F1	GEN911			
Switch Only		2000A	HTS	NEMA-3R Indoor/Outdoor				1310	80H x 48W x 48D				HTSN2000G3F1	GEN913			
Switch Only		2600A	HTS	NEMA-3R Indoor/Outdoor				1710	80H x 48W x 48D				HTSN2600G3F1	GEN915			
120/208V Three Phase -- Automatic Transfer Switches -- Type GTS																	
Switch Only		100A	GTS	NEMA-1 Indoor Only				180	36H x 24W x 10D				GTS010W-3G2LDNANF1	GEN541			
Switch Only		150A	GTS	NEMA-1 Indoor Only				185	36H x 24W x 10D				GTS015W-3G2LDNANF1	GEN544			
Switch Only		200A	GTS	NEMA-1 Indoor Only				185	36H x 24W x 10D				GTS020W-3G2LDNANF1	GEN547			
Switch Only		300A	GTS	NEMA-1 Indoor Only				245	36H x 24W x 10D				GTS030W-3G2LDNANF1	GEN550			
Switch Only		400A	GTS	NEMA-1 Indoor Only				245	36H x 24W x 10D				GTS040W-3G2LDNANF1	GEN553			
Switch Only		600A	GTS	NEMA-1 Indoor Only				650	66H x 36W x 20D				GTS060N-3G2LDNBNF1	GEN556			
Switch Only		800A	GTS	NEMA-1 Indoor Only				700	66H x 36W x 20D				GTS080N-3G2LDNBNF1	GEN559			
Switch Only		1000A	GTS	NEMA-1 Indoor Only				700	66H x 36W x 20D				GTS100N-3G2LDNBNF1	GEN562			
Switch Only		1200A	GTS	NEMA-1 Indoor Only				1100	78H x 48W x 28D				GTS120N-3G2LDNBNF1	GEN601			
Switch Only		1600A	GTS	NEMA-1 Indoor Only				1100	78H x 48W x 28D				GTS160N-3G2LDNBNF1	GEN606			
Better Light & Power							Phone: 585-475-1321 or 800-475-1321					Eugene Henn, President					
2140 West Henrietta Road							Fax: 585-424-1190 or 800-475-4448					Catherine S. Henn, CFO/CIO					
Rochester, NY 14623							Email: Info@BetterPower.biz					Sec. 5, Page 1 WPL © 04-06-09 BL&P					

Section 5, Continued: 120/208V Three Phase -- Automatic Transfer Switches -- Type GTS													
Manufacture	Rated for		Req.				Full			Full	Gen		
Series	Continuous		(not incl.)	Type of	Engine	Load		Dimensions	Load	Brkr	Manufacturer	BL&P	
	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU
Switch Only		2000A	GTS	NEMA-1	Indoor Only			1300	80H x 48W x 51D			GTS200N-3G2LDNBNF1	GEN611
Switch Only		2600A	GTS	NEMA-1	Indoor Only			1700	80H x 48W x 51D			GTS260N-3G2LDNBNF1	GEN616
Switch Only		100A	GTS	NEMA-3R	In/Out			180	36H x 24W x 10D			GTS010W-3G2LDNCF1	GEN740
Switch Only		150A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D			GTS015W-3G2LDNCF1	GEN744
Switch Only		200A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D			GTS020W-3G2LDNCF1	GEN748
Switch Only		300A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D			GTS030W-3G2LDNCF1	GEN752
Switch Only		400A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D			GTS040W-3G2LDNCF1	GEN756
Switch Only		600A	GTS	NEMA-3R	In/Out			650	66H x 36W x 20D			GTS060N-3G2LDNCF1	GEN760
Switch Only		800A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D			GTS080N-3G2LDNCF1	GEN764
Switch Only		1000A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D			GTS100N-3G2LDNCF1	GEN768
Switch Only		1200A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS120N-3G2LDNCF1	GEN771
Switch Only		1600A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS160N-3G2LDNCF1	GEN774
Switch Only		2000A	GTS	NEMA-3R	In/Out			1300	80H x 48W x 51D			GTS200N-3G2LDNCF1	GEN777
Switch Only		2600A	GTS	NEMA-3R	In/Out			1700	80H x 48W x 51D			GTS260N-3G2LDNCF1	GEN780
4-Pole Switch Only		100A	GTS	NEMA-3R	In/Out			180	36H x 24W x 10D			GTS010W-4G2LDNANF1	GEN695R
4-Pole Switch Only		150A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D			GTS015W-4G2LDNANF1	GEN699R
4-Pole Switch Only		200A	GTS	NEMA-3R	In/Out			185	36H x 24W x 10D			GTS020W-4G2LDNANF1	GEN703R
4-Pole Switch Only		300A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D			GTS030W-4G2LDNANF1	GEN707R
4-Pole Switch Only		400A	GTS	NEMA-3R	In/Out			245	36H x 24W x 10D			GTS040W-4G2LDNANF1	GEN711R
4-Pole Switch Only		600A	GTS	NEMA-3R	In/Out			650	66H x 36W x 20D			GTS060N-4G2LDNBNF1	GEN715R
4-Pole Switch Only		800A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D			GTS080N-4G2LDNBNF1	GEN719R
4-Pole Switch Only		1000A	GTS	NEMA-3R	In/Out			700	66H x 36W x 20D			GTS100N-4G2LDNBNF1	GEN723R
4-Pole Switch Only		1200A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS120N-4G2LDNBNF1	GEN727R
4-Pole Switch Only		1600A	GTS	NEMA-3R	In/Out			1100	78H x 48W x 28D			GTS160N-4G2LDNBNF1	GEN730R
4-Pole Switch Only		2000A	GTS	NEMA-3R	In/Out			1300	80H x 48W x 51D			GTS200N-4G2LDNBNF1	GEN733R
4-Pole Switch Only		2600A	GTS	NEMA-3R	In/Out			1700	80H x 48W x 51D			GTS260N-4G2LDNBNF1	GEN736R
277/480V Three Phase -- Standby Modular Generators -- 100kW - 1000kW													
Modular	100	150A	GTS	Steel	Nat Gas	6.8L V10	2300	2880	116L x 37W x 55H	1260 CFH	175A	MQT10068KNSNMH1-b	GEN793
Modular	100	150A	GTS	Steel	Nat Gas	6.8L V10	2300	2880	116L x 37W x 55H	1260 CFH	175A	MQT10068KNSNMH1-e	GEN794
Modular	150	225A	GTS	Steel	Nat Gas	6.8L V10	3600	2841	116L x 37W x 55H	2061 CFH	250A	MQT15068KNSNMH1-b	GEN797
Modular	150	225A	GTS	Steel	Nat Gas	6.8L V10	3600	2841	116L x 37W x 55H	2061 CFH	250A	MQT15068KNSNMH1-e	GEN798
Modular	200	301A	GTS	Steel	Nat Gas	13.3L	1800	6600	162L x 58W x 69H	2550 CFH	350A	MG0200KMH1-b	GEN785
Modular	200	301A	GTS	Steel	Nat Gas	13.3L	1800	6600	162L x 58W x 69H	2550 CFH	350A	MG0200KMH1-e	GEN786
Modular	500	752A	GTS	Steel	Diesel	16.0L	1800	14,700	230L x 63W x 148H	31.3 GPH	800A	MD0500KMH1-b	GEN788
Modular	500	752A	GTS	Steel	Diesel	16.0L	1800	14,500	230L x 63W x 148H	31.3 GPH	800A	MD0500KMH1-e	GEN789
Modular	600	902A	GTS	Steel	Diesel	22.0L	1800	15,700	143L x 54W x 69H	46.2 GPH	1000A	MD0600KMH1-b	GEN903
Modular	600	902A	GTS	Steel	Diesel	22.0L	1800	15,700	143L x 54W x 69H	46.2 GPH	1000A	MD0600KMH1-e	GEN904
Bi-Fuel Mod	600	902A	GTS	Steel	Dsl/NGas	22.0L	1800	15,700	143L x 54W x 69H	43.3 GPH	1000A	MB0600KMH1-b	GEN654
Bi-Fuel Mod	600	902A	GTS	Steel	Dsl/NGas	22.0L	1800	15,700	143L x 54W x 69H	43.3 GPH	1000A	MB0600KMH1-e	GEN655
Gemini	1000	1503A	GTS	Steel	Diesel	16.0L Tie	1800	28,700	242L x 96W x 132H	2x31.3GPH	2x800A	MD1000KMH1	GEN726
Better Light & Power						Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President	
2140 West Henrietta Road						Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO	
Rochester, NY 14623						Email: Info@BetterPower.biz						Sec. 5, Page 2	
WPL © 04-06-09 BL&P													

Section 5, Continued: 277/480V Three Phase -- Automatic Transfer Switches -- Type HTS

Manufacturer Series	Rated for Continuous kW	Req. (not incl.) Amp Switch	Type of Encl	Engine Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
Switch Only	100A	HTS	NEMA-1 Indoor Only				120	36H x 24W x 10D			HTSN100K1CF1	GEN393
Switch Only	150A	HTS	NEMA-1 Indoor Only				145	48H x 30W x 12D			HTSN150K1CF1	GEN403
Switch Only	200A	HTS	NEMA-1 Indoor Only				145	48H x 30W x 12D			HTSN200K1CF1	GEN413
Switch Only	300A	HTS	NEMA-1 Indoor Only				165	48H x 30W x 12D			HTSN300K1CF1	GEN423
Switch Only	400A	HTS	NEMA-1 Indoor Only				165	48H x 30W x 12D			HTSN400K1CF1	GEN433
Switch Only	600A	HTS	NEMA-12 Indoor Only				650	66H x 36W x 20D			HTSN600K4CF1	GEN443
Switch Only	800A	HTS	NEMA-12 Indoor Only				680	66H x 36W x 20D			HTSN800K4CF1	GEN448
Switch Only	1000A	HTS	NEMA-12 Indoor Only				710	66H x 36W x 20D			HTSN1000K4F1	GEN916
Switch Only	1200A	HTS	NEMA-12 Indoor Only				1110	78H x 48W x 24D			HTSN1200K4F1	GEN918
Switch Only	1600A	HTS	NEMA-12 Indoor Only				1110	78H x 48W x 24D			HTSN1600K4F1	GEN920
Switch Only	2000A	HTS	NEMA-12 Indoor Only				1310	80H x 48W x 48D			HTSN2000K4F1	GEN922
Switch Only	2600A	HTS	NEMA-12 Indoor Only				1710	80H x 48W x 48D			HTSN2600K4F1	GEN924
Switch Only	100A	HTS	NEMA-3R In/Out				120	36H x 24W x 10D			HTSN100K3CF1	GEN398
Switch Only	150A	HTS	NEMA-3R Indoor/Outdoor				145	48H x 30W x 12D			HTSN150K3CF1	GEN408
Switch Only	200A	HTS	NEMA-3R Indoor/Outdoor				145	48H x 30W x 12D			HTSN200K3CF1	GEN418
Switch Only	300A	HTS	NEMA-3R Indoor/Outdoor				165	48H x 30W x 12D			HTSN300K3CF1	GEN428
Switch Only	400A	HTS	NEMA-3R Indoor/Outdoor				165	48H x 30W x 12D			HTSN400K3CF1	GEN438
Switch Only	600A	HTS	NEMA-3R Indoor/Outdoor				650	66H x 36W x 20D			HTSN600K3CF1	GEN453
Switch Only	800A	HTS	NEMA-3R Indoor/Outdoor				680	66H x 36W x 20D			HTSN800K3CF1	GEN458
Switch Only	1000A	HTS	NEMA-3R Indoor/Outdoor				710	66H x 36W x 20D			HTSN1000K3F1	GEN917
Switch Only	1200A	HTS	NEMA-3R Indoor/Outdoor				1110	78H x 48W x 24D			HTSN1200K3F1	GEN919
Switch Only	1600A	HTS	NEMA-3R Indoor/Outdoor				1110	78H x 48W x 24D			HTSN1600K3F1	GEN921
Switch Only	2000A	HTS	NEMA-3R Indoor/Outdoor				1310	80H x 48W x 48D			HTSN2000K3F1	GEN923
Switch Only	2600A	HTS	NEMA-3R Indoor/Outdoor				1710	80H x 48W x 48D			HTSN2600K3F1	GEN925

277/480V Three Phase -- Automatic Transfer Switches -- Type GTS

Switch Only	100A	GTS	NEMA-1 Indoor Only				180	36H x 24W x 10D			GTS010W-3K2LDNANF1	GEN542
Switch Only	150A	GTS	NEMA-1 Indoor Only				265	48H x 30W x 12D			GTS015W-3K2LDNANF1	GEN545
Switch Only	200A	GTS	NEMA-1 Indoor Only				265	48H x 30W x 12D			GTS020W-3K2LDNANF1	GEN548
Switch Only	300A	GTS	NEMA-1 Indoor Only				325	48H x 30W x 12D			GTS030W-3K2LDNANF1	GEN551
Switch Only	400A	GTS	NEMA-1 Indoor Only				325	48H x 30W x 12D			GTS040W-3K2LDNANF1	GEN554
Switch Only	600A	GTS	NEMA-1 Indoor Only				650	66H x 36W x 20D			GTS060N-3K2LDNBNF1	GEN557
Switch Only	800A	GTS	NEMA-1 Indoor Only				700	66H x 36W x 20D			GTS080N-3K2LDNBNF1	GEN560
Switch Only	1000A	GTS	NEMA-1 Indoor Only				700	66H x 36W x 20D			GTS100N-3K2LDNBNF1	GEN563
Switch Only	1200A	GTS	NEMA-1 Indoor Only				1100	78H x 48W x 28D			GTS120N-3K2LDNBNF1	GEN602
Switch Only	1600A	GTS	NEMA-1 Indoor Only				1100	78H x 48W x 28D			GTS160N-3K2LDNBNF1	GEN607
Switch Only	2000A	GTS	NEMA-1 Indoor Only				1300	80H x 48W x 51D			GTS200N-3K2LDNBNF1	GEN612
Switch Only	2600A	GTS	NEMA-1 Indoor Only				1700	80H x 48W x 51D			GTS260N-3K2LDNBNF1	GEN617
Switch Only	100A	GTS	NEMA-3R In/Out				180	36H x 24W x 10D			GTS010W-3K2LDNCNF1	GEN742
Switch Only	150A	GTS	NEMA-3R In/Out				265	48H x 30W x 12D			GTS015W-3K2LDNCNF1	GEN746
Switch Only	200A	GTS	NEMA-3R In/Out				265	48H x 30W x 12D			GTS020W-3K2LDNCNF1	GEN750
Switch Only	300A	GTS	NEMA-3R In/Out				325	48H x 30W x 12D			GTS030W-3K2LDNCNF1	GEN754
Switch Only	400A	GTS	NEMA-3R In/Out				325	48H x 30W x 12D			GTS040W-3K2LDNCNF1	GEN758

<u>Section 5, Continued: 277/480V Three Phase -- Automatic Transfer Switches -- Type GTS</u>													
Manufacturer Series	Rated for Continuous kW	Amp	Req. (not incl.) Switch	Encl	Type of Fuel	Engine Size	Full Load RPM	Wgt	Dimensions L x W x H	Full Load CFH/GPH	Gen Brkr Amp	Manufacturer Model #	BL&P SKU
Switch Only	600A		GTS		NEMA-3R In/Out			650	66H x 36W x 20D			GTS060N-3K2LDNCNF1	GEN762
Switch Only	800A		GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS080N-3K2LDNCNF1	GEN766
Switch Only	1000A		GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS100N-3K2LDNCNF1	GEN770
Switch Only	1200A		GTS		NEMA-3R In/Out			1100	78H x 48W x 28D			GTS120N-3K2LDNCNF1	GEN773
Switch Only	1600A		GTS		NEMA-3R In/Out			1100	78H x 48W x 28D			GTS160N-3K2LDNCNF1	GEN776
Switch Only	2000A		GTS		NEMA-3R In/Out			1300	80H x 48W x 51D			GTS200N-3K2LDNCNF1	GEN779
Switch Only	2600A		GTS		NEMA-3R In/Out			1700	80H x 48W x 51D			GTS260N-3K2LDNCNF1	GEN782
4-Pole Switch Only	100A		GTS		NEMA-3R In/Out			180	36H x 24W x 10D			GTS010W-4K2LDNANF1	GEN697R
4-Pole Switch Only	150A		GTS		NEMA-3R In/Out			265	48H x 30W x 12D			GTS015W-4K2LDNANF1	GEN701R
4-Pole Switch Only	200A		GTS		NEMA-3R In/Out			265	48H x 30W x 12D			GTS020W-4K2LDNANF1	GEN705R
4-Pole Switch Only	300A		GTS		NEMA-3R In/Out			325	48H x 30W x 12D			GTS030W-4K2LDNANF1	GEN709R
4-Pole Switch Only	400A		GTS		NEMA-3R In/Out			325	48H x 30W x 12D			GTS040W-4K2LDNANF1	GEN713R
4-Pole Switch Only	600A		GTS		NEMA-3R In/Out			650	66H x 36W x 20D			GTS060N-4K2LDNBNF1	GEN717R
4-Pole Switch Only	800A		GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS080N-4K2LDNBNF1	GEN721R
4-Pole Switch Only	1000A		GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS100N-4K2LDNBNF1	GEN725R
4-Pole Switch Only	1200A		GTS		NEMA-3R In/Out			1100	78H x 48W x 28D			GTS120N-4K2LDNBNF1	GEN729R
4-Pole Switch Only	1600A		GTS		NEMA-3R In/Out			1100	78H x 48W x 28D			GTS160N-4K2LDNBNF1	GEN732R
4-Pole Switch Only	2000A		GTS		NEMA-3R In/Out			1300	80H x 48W x 51D			GTS200N-4K2LDNBNF1	GEN735R
4-Pole Switch Only	2600A		GTS		NEMA-3R In/Out			1700	80H x 48W x 51D			GTS260N-4K2LDNBNF1	GEN738R
<u>Options for Standby Modular Generators</u>													
Modular Options					Replacement Modular System Controller				Generac			4975F1	GEN790
Modular Options					Upgrade to Aluminum Enclosure				Generac			ALUMENCF1	GEN905
Options					Strip Heater for Transfer Sw				EPS			STRHTRSF1	EPS003
Options					Low Sound Encl SD 80-100kW				Generac			LSE80100F1	GEN942
Options					Low Sound Encl SD 135-200kW				Generac			LSE135200F1	GEN943
Options					Low Sound Encl SD 230-300kW				Generac			LSE230300F1	GEN944
Options					Low Sound Encl SD 300-400kW13L				Generac			LSE300400F1	GEN945
Options					Low Sound Encl SD 500kW				Generac			LSE500F1	GEN946
Options					Low Sound Encl SD 600kW				Generac			LSE600F1	GEN947
Options					Low Sound Encl SG Ind.70-150kW				Generac			LSEG70150F1	GEN949
Options					LowSoundEncl SG Ind 150-300kW				Generac			LSEG150300F1	GEN950
<u>Warranties, Services, & Software -- for Standby Modular Generators</u>													
Note: Generac Warranty requires use of Generac-brand parts only.													
Extended Warranty	5 Years				For 41-100kW Generators				Generac			COMP5-100	GEN1003
Extended Warranty	5 Years				For 101-150kW Generators				Generac			COMP5-150	GEN1004
Extended Warranty	5 Years				For 151-400kW Generators				Generac			COMP5-400	GEN1005
Extended Warranty	5 Years				For 401-500kW Generators				Generac			COMP5-500	GEN1006
Extended Warranty	5 Years				For 501-750kW Generators				Generac			COMP5-750	GEN1007
Better Light & Power						Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President	
2140 West Henrietta Road						Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO	
Rochester, NY 14623						Email: Info@BetterPower.biz						Sec. 5, Page 4	
												WPL © 04-06-09 BL&P	

<u>Section 5, Continued: Warranties, Services, & Software -- for Standby Modular Generators</u>										
Note: Generac Warranty requires use of Generac-brand parts only.										
Manufacturer Series			Description		Manufacturer		Manufacturer Model #		BL&P SKU	
Extended Warranty	5 Years		For 30-104A Transfer Switches		Generac		COMP5-104A		GEN1008	
Extended Warranty	5 Years		For 105-260A Transfer Switches		Generac		COMP5-260A		GEN1009	
Extended Warranty	5 Years		For 400-800A Transfer Switches		Generac		COMP5-800A		GEN1010	
Extended Warranty	5 Years		For 1000A Transfer Switches		Generac		COMP5-1000A		GEN1011	
Extended Warranty	5 Years		For 1200A Transfer Switches		Generac		COMP5-1200A		GEN1012	
Extended Warranty	5 Years		For 1600A Transfer Switches		Generac		COMP5-1600A		GEN1013	
Extended Warranty	5 Years		For 2000A Transfer Switches		Generac		COMP5-2000A		GEN1014	
Extended Warranty	5 Years		For 2500A Transfer Switches		Generac		COMP5-2500A		GEN1015	
Extended Warranty	5 Years		For 3000A Transfer Switches		Generac		COMP5-3000A		GEN1016	
Extended Warranty	5 Years		For 4000A Transfer Switches		Generac		COMP5-4000A		GEN1017	
Services			On-Site Visit Review Service						SVR001	
Services			On-Site Visit Extra Mileage						SVR002	
Services			On-Site Visit Extra Time						SVR003	
Software			0E9062B Generac GenLink Kit		Generac				GEN471	
Software			0F7707 Generac Serial Cable		Generac				GEN472	
Software			0E2144 Generac Modem		Generac				GEN473	
Better Light & Power			Phone: 585-475-1321 or 800-475-1321						Eugene Henn, President	
2140 West Henrietta Road			Fax: 585-424-1190 or 800-475-4448						Catherine S. Henn, CFO/CIO	
Rochester, NY 14623			Email: Info@BetterPower.biz			Sec. 5, Page 5			WPL © 04-06-09 BL&P	