

**Section 1: 120/240V 1ph GENERATORS and TRANSFER SWITCHES**

**120/240V Single Phase -- Portable Generators and Manual Transfer Switch**

Manufacturer	Rated for Continuous	Req. (not incl.)	Type of Switch	Engine Fuel	Full Load	Dimensions L x W x H	Full Load	Gen Brkr	Manufacturer	BL&P
Series	kW	Amp	Encl	Size	RPM	Wgt	CFH/GPH	Amp	Model #	SKU
<b>GENERAC Portable Generators</b>										
Generac GP Series	1.8	7.5A	Not Incl	none	Gasoline	163cc	79	23.5L x 17W x 17.5H	5723F1	GEN5723
Generac GP Series	3.25	13.5A	Not Incl	none	Gasoline	206cc	91	25.5L x 21W x 19H	5724F1	GEN5724
Generac GP Series	5.5	22.9A	Not Incl	none	Gasoline	389cc	167	33.5L x 26.5W x 27.5H	5736F1	GEN5736
Generac GP Series	6.5	27.0A	Not Incl	none	Gasoline	GT389	185	34L x 27W x 28H	5623F1	GEN169
Generac GP Series	7	29.1A	Not Incl	none	Gasoline	GT410	190	34L x 27W x 28H	5625F1	GEN171
Generac GP Series	7	29.1A	Not Incl	none	Gasoline	GT410	195	34L x 27W x 28H	5626F1	GEN172
Generac GP Series	8	33.3A	Not Incl	none	Gasoline	GT410	200	34L x 27W x 28H	5680F1	GEN173
Generac GP Series	8	33.3A	Not Incl	none	Gasoline	GT410	205	34L x 27W x 28H	5681F1	GEN174
Generac GP Series	15		Not Incl	none	Gasoline			Call for info	5734F1	GEN5734
Generac GP Series	17.5		Not Incl	none	Gasoline			Call for info	5735F1	GEN5735

**Manual Transfer Switch Kit**

consisting of Manual Transfer Switch, Power Inlet Box, and Cordset

Guardian	100A	Manual	NEMA	Any					4397F1	GEN459
----------	------	--------	------	-----	--	--	--	--	--------	--------

**120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators**

**GENERAC Generators and Switches**

Air-cooled	7	29.2A	RTS	Steel	Nat Gas	GT410	3600	340	48L x 25W x 29H	139 CFH	35A	5518F1	GEN5518
Air-cooled	8	33.3A	RTS	Steel	Propane	GT410	3600	340	48L x 25W x 29H	1.68 GPH	35A	5518F1	GEN5518P
Air-cooled	9	37.5A	RTS	Steel	Nat Gas	GT530	3600	387	48L x 25W x 29H	156 CFH	45A	5520F1	GEN5520
Air-cooled	10	41.6A	RTS	Steel	Propane	GT530	3600	387	48L x 25W x 29H	1.93 GPH	45A	5520F1	GEN5520P
Air-cooled	13	54.2A	RTS	Steel	Nat Gas	GT992	3600	439	48L x 25W x 29H	220 CFH	60A	5522F1	GEN5522
Air-cooled	14	58.3A	RTS	Steel	Propane	GT992	3600	439	48L x 25W x 29H	2.30 GPH	60A	5522F1	GEN5522P
QT Air-cooled	16	66.6A	RTS	Steel	Nat Gas	GT992	3600	445	48L x 25W x 29H	261 CFH	65A	5523F1	GEN5523
QT Air-cooled	17	70.8A	RTS	Steel	Propane	GT992	3600	445	48L x 25W x 29H	2.57 GPH	65A	5523F1	GEN5523P
QT Air-cooled	16	66.6A	RTS	Alumi	Nat Gas	GT992	3600	414	48L x 25W x 29H	261 CFH	65A	5524F1	GEN5524
QT Air-cooled	17	70.8A	RTS	Alumi	Propane	GT992	3600	414	48L x 25W x 29H	2.57 GPH	65A	5524F1	GEN5524P
QT Air-cooled	18	75.0A	RTS	Alumi	Nat Gas	GT999	3600	451	48L x 25W x 29H	294 CFH	100A	5525F1	GEN5525
QT Air-cooled	20	83.3A	RTS	Alumi	Propane	GT999	3600	451	48L x 25W x 29H	2.90 GPH	100A	5525F1	GEN5525P
Diesel SD	10	41.7A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	0.96 GPH	50A	SD0010ADH1	GEN499
Diesel SD	15	62.5A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.25 GPH	70A	SD0015ADH1	GEN503
Diesel SD	20	83.0A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	1.67 GPH	100A	SD0020ADH1	GEN507
Quiet Test	22	92A	RTS	Alumi	Nat Gas	2.4L	1800	850	63L x 29W x 34H	316 CFH	125A	QT02224ANANF1	GEN220
Quiet Test	22	92A	RTS	Alumi	Propane	2.4L	1800	850	63L x 29W x 34H	3.3 GPH	125A	QT02224AVANF1	GEN220P
Quiet Test	25	100A	RTS	Steel	Nat Gas	1.6L	3600	980	72L x 30W x 38H	437 CFH	125A	QT02516ANSNF1	GEN213
Quiet Test	25	104A	RTS	Steel	Propane	1.6L	3600	980	72L x 30W x 38H	4.4 GPH	125A	QT02516AVSNF1	GEN213P
QT-NFPA	25	104A	HTS	Steel	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	125A	QTA02524ANSNAH1	GEN125
QT-NFPA	25	104A	HTS	Alumi	Nat Gas	2.4L V6	1800	1090	77L x 34W x 46H	380 CFH	125A	QTA02524ANANAH1	GEN120
QT-NFPA	25	104A	HTS	Steel	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	125A	QTA02524AVSNAH1	GEN125P
QT-NFPA	25	104A	HTS	Alumi	Propane	2.4L V6	1800	1090	77L x 34W x 46H	4.15 GPH	125A	QTA02524AVANAH1	GEN120P
Diesel SD	25	104.2A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.08 GPH	125A	SD0025ADH1	GEN510

**Better Light & Power**

**2140 West Henrietta Road**

**Rochester, NY 14623**

**Phone: 585-475-1321 or 800-475-1321**

**Fax: 585-424-1190 or 800-475-4448**

**Email: Info@BetterPower.biz**

**Eugene Henn, President**

**Catherine S. Henn, CFO/CIO**

**WPL © 04-06-09 BL&P**

<b>Section 1, Continued: 120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators</b>													
Manufacturer	Rated for		Req.	Type of	Engine	Full	Full	Gen	Dimensions	Full	Brkr	Manufacturer	BL&P
	Continuous		(not incl.)										
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU
Quiet Test	25	104A	RTS	Alumi	Nat Gas	2.4L	1800	1255	63L x 29W x 34H	359 CFH	125A	QT02724ANANF1	GEN225
Quiet Test	27	112A	RTS	Alumi	Propane	2.4L	1800	1255	63L x 29W x 34H	4.1 GPH	125A	QT02724AVANF1	GEN225P
Quiet Test	30	125A	RTS	Steel	Nat Gas	1.6L	3600	935	62L x 29W x 34H	525 CFH	150A	QT03016ANSNF1	GEN247
Quiet Test	30	125A	RTS	Steel	Propane	1.6L	3600	935	62L x 29W x 34H	5.7 GPH	150A	QT03016AVSNF1	GEN247P
Diesel SD	30	125A	GTS	Steel	Diesel	2.4L	1800	2800	113L x 38W x 46H	2.5 GPH	150A	SD0030ADH1	GEN515
Industrial	35	146A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	541 CFH	175A	SG0035ASH1	GEN855
Industrial	35	146A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	5.7 GPH	175A	SG0035ASH1	GEN855P
Diesel SD	35	146A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	2.92 GPH	150A	SD0035ADH1	GEN650
Quiet Test	35	146A	RTS	Alumi	Nat Gas	2.4L	1800	1276	77L x 34W x 45H	503 CFH	175A	QT03624ANANF1	GEN230
Quiet Test	36	150A	RTS	Alumi	Propane	2.4L	1800	1276	77L x 34W x 45H	5.4 GPH	175A	QT03624AVANF1	GEN230P
Industrial	40	167A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	610 CFH	200A	SG0040ASH1	GEN859
Industrial	40	167A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	6.5 GPH	200A	SG0040ASH1	GEN859P
Diesel SD	40	167A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	3.33 GPH	200A	SD0040ADH1	GEN519
Industrial	43	179A	GTS	Steel	Nat Gas	4.2L	1800	2000	113L x 38W x 46H	695 CFH	200A	SG0045ASH1	GEN863
Industrial	45	188A	GTS	Steel	Propane	4.2L	1800	2000	113L x 38W x 46H	7.3 GPH	200A	SG0045ASH1	GEN863P
Quiet Test	45	188A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	200A	QT04524ANSNF1	GEN259
Quiet Test	45	188A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	200A	QT04524AVSNF1	GEN259P
Quiet Test	46	192A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	200A	QT04842ANANF1	GEN235
Quiet Test	48	200A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	200A	QT04842AVANF1	GEN235P
Quiet Test	45Y	188A	RTS	Steel	Nat Gas	2.4L	3600	1414	77L x 34W x 46H	720 CFH	200A	QT04524ANSNYF1	GEN259Y
Quiet Test	45Y	188A	RTS	Steel	Propane	2.4L	3600	1414	77L x 34W x 46H	7.9 GPH	200A	QT04524AVSNYF1	GEN259YP
Quiet Test	46Y	192A	RTS	Alumi	Nat Gas	4.2L	1800	1740	77L x 34W x 45H	661 CFH	200A	QT04842ANANYF1	GEN235Y
Quiet Test	48Y	200A	RTS	Alumi	Propane	4.2L	1800	1740	77L x 34W x 45H	7.2 GPH	200A	QT04842AVANYF1	GEN235YP
Diesel SD	50	208A	GTS	Steel	Diesel	2.4L	1800	2900	113L x 38W x 46H	4.16 GPH	225A	SD0050ADH1	GEN660
QT-NFPA	55	229A	HTS	Steel	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	250A	QTA05554ANSNAH1	GEN135
QT-NFPA	55	229A	HTS	Alumi	Nat Gas	5.4L V8	1800	2168	97L x 37W x 48H	756 CFH	250A	QTA05554ANANAH1	GEN175
QT-NFPA	55	229A	HTS	Steel	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	250A	QTA05554AVSNAH1	GEN135P
QT-NFPA	55	229A	HTS	Alumi	Propane	5.4L V8	1800	2168	97L x 37W x 48H	8.28 GPH	250A	QTA05554AVANAH1	GEN175P
Quiet Test	60	250A	RTS	Steel	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	300A	QT06024ANSNF1	GEN282
Quiet Test	60	250A	RTS	Steel	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	300A	QT06024AVSNF1	GEN282P
Quiet Test	60	250A	RTS	Alumi	Nat Gas	2.4L	3600	1650	77L x 34W x 45H	862 CFH	300A	QT06024ANSNF1	GEN322
Quiet Test	60	250A	RTS	Alumi	Propane	2.4L	3600	1650	77L x 34W x 45H	9.0 GPH	300A	QT06024AVSNF1	GEN322P
Diesel SD	60	250A	GTS	Steel	Diesel	3.0L	1800	4250	130L x 40W x 55H	5.0 GPH	300A	SD0060ADH1	GEN656
Quiet Test	70	292A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANSNF1	GEN331
Quiet Test	70	292A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANANF1	GEN336
Quiet Test	70	292A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVSNF1	GEN331P
Quiet Test	70	292A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVANF1	GEN336P
Quiet Test	70Y	292A	HTS	Steel	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANSNYF1	GEN331Y
Quiet Test	70Y	292A	HTS	Alumi	Nat Gas	6.8L V10	1800	2185	97L x 37W x 48H	1020 CFH	300A	QT07068ANANYF1	GEN336Y
Quiet Test	70Y	292A	HTS	Steel	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVSNYF1	GEN331YP
Quiet Test	70Y	292A	HTS	Alumi	Propane	6.8L V10	1800	2185	97L x 37W x 48H	11.17 GPH	300A	QT07068AVANYF1	GEN336YP

**Better Light & Power**  
**2140 West Henrietta Road**  
**Rochester, NY 14623**

**Phone: 585-475-1321 or 800-475-1321**  
**Fax: 585-424-1190 or 800-475-4448**  
**Email: Info@BetterPower.biz**

**Eugene Henn, President**  
**Catherine S. Henn, CFO/CIO**  
**Sec. 1, Page 2**  
**WPL © 04-06-09 BL&P**

<b>Section 1, Continued: 120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators</b>													
Manufacturer	Rated for		Req.	Type of	Engine	Load	Full	Dimensions	Full	Gen	Manufacturer	BL&P	
	Continuous	(not incl.)	Switch										
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU
QT-NFPA	70	292A	HTS	Steel	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	300A	QTA07068ANSNAH1	GEN140
QT-NFPA	70	292A	HTS	Alumi	Nat Gas	6.8L V10	1800	2430	97L x 37W x 48H	1020 CFH	300A	QTA07068ANANAH1	GEN180
QT-NFPA	70	292A	HTS	Steel	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	300A	QTA07068AVSNAH1	GEN140P
QT-NFPA	70	292A	HTS	Alumi	Propane	6.8L V10	1800	2430	97L x 37W x 48H	11.17 GPH	300A	QTA07068AVANAH1	GEN180P
Industrial	70	292A	GTS	Steel	Nat Gas	6.8L	1800	1950	111L x 40W x 55H	867 CFH	350A	SG0070ASH1	GEN880
Industrial	70	292A	GTS	Steel	Propane	6.8L	1800	1950	111L x 40W x 55H	867 CFH	350A	SG0070ASH1	GEN880P
Quiet Test	80	333A	HTS	Steel	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	400A	QT08046ANSNF1	GEN314
Quiet Test	80	333A	HTS	Alumi	Nat Gas	4.6L V8	3600	2010	116L x 37W x 55H	1154 CFH	400A	QT08046ANANF1	GEN315
Quiet Test	80	333A	HTS	Steel	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	400A	QT08046AVSNF1	GEN314P
Quiet Test	80	333A	HTS	Alumi	Propane	4.6L V8	3600	2010	116L x 37W x 55H	12.8 GPH	400A	QT08046AVANF1	GEN315P
QT-NFPA	80	333A	HTS	Steel	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	350A	QTA08054ANSNAH1	GEN161
QT-NFPA	80	333A	HTS	Alumi	Nat Gas	5.4L V8	2650	2168	116L x 37W x 55H	1099 CFH	350A	QTA08054ANANAH1	GEN185
QT-NFPA	80	333A	HTS	Steel	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	350A	QTA08054AVSNAH1	GEN161P
QT-NFPA	80	333A	HTS	Alumi	Propane	5.4L V8	2650	2168	116L x 37W x 55H	12.03 GPH	350A	QTA08054AVANAH1	GEN185P
Diesel SD	80	333A	GTS	Steel	Diesel	4.5L	1800	4350	135L x 40W x 55H	6.3 GPH	350A	SD0080ADH1	GEN666
Quiet Test	100	417A	HTS	Steel	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	450A	QT10068ANSNF1	GEN361
Quiet Test	100	417A	HTS	Alumi	Nat Gas	6.8L V10	2300	2705	116L x 37W x 55H	1260 CFH	450A	QT10068ANANF1	GEN366
Quiet Test	100	417A	HTS	Steel	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	450A	QT10068AVSNF1	GEN361P
Quiet Test	100	417A	HTS	Alumi	Propane	6.8L V10	2300	2705	116L x 37W x 55H	13.80 GPH	450A	QT10068AVANF1	GEN366P
QT-NFPA	100	417A	HTS	Steel	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	450A	QTA10068ANSNAH1	GEN150
QT-NFPA	100	417A	HTS	Alumi	Nat Gas	6.8L V10	2300	2562	116L x 37W x 55H	1260 CFH	450A	QTA10068ANANAH1	GEN190
QT-NFPA	100	417A	HTS	Steel	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	450A	QTA10068AVSNAH1	GEN150P
QT-NFPA	100	417A	HTS	Alumi	Propane	6.8L V10	2300	2562	116L x 37W x 55H	13.80 GPH	450A	QTA10068AVANAH1	GEN190P
Diesel SD	100	417A	GTS	Steel	Diesel	4.5L	1800	4500	135L x 40W x 55H	7.7 GPH	450A	SD0100ADH1	GEN676
Industrial	100	438A	GTS	Steel	Nat Gas	6.8L	2300	2950	54L x 41W x 63.1H	1158 CFH	500A	SG0100ASH1	GEN884
Industrial	100	438A	GTS	Steel	Propane	6.8L	2300	2950	54L x 41W x 63.1H	1158 CFH	500A	SG0100ASH1	GEN884P
Quiet Test	130	542A	HTS	Steel	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	600A	QT13068ANSNF1	GEN371
Quiet Test	130	542A	HTS	Alumi	Nat Gas	6.8L V10	3000	2873	116L x 37W x 55H	1786 CFH	600A	QT13068ANANF1	GEN376
Quiet Test	130	542A	HTS	Steel	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	600A	QT13068AVSNF1	GEN371P
Quiet Test	130	542A	HTS	Alumi	Propane	6.8L V10	3000	2873	116L x 37W x 55H	19.56 GPH	600A	QT13068AVANF1	GEN376P
QT-NFPA	130	542A	HTS	Steel	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	600A	QTA13068ANSNAH1	GEN155
QT-NFPA	130	542A	HTS	Alumi	Nat Gas	6.8L V10	3000	2730	116L x 37W x 55H	1786 CFH	600A	QTA13068ANANAH1	GEN195
QT-NFPA	130	542A	HTS	Steel	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	600A	QTA13068AVSNAH1	GEN155P
QT-NFPA	130	542A	HTS	Alumi	Propane	6.8L V10	3000	2730	116L x 37W x 55H	19.56 GPH	600A	QTA13068AVANAH1	GEN195P
Industrial	130	563A	GTS	Steel	Nat Gas	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	600A	SG0130ASH1	GEN888
Industrial	130	563A	GTS	Steel	Propane	6.8L	3000	2950	154L x 41W x 63H	1494 CFH	600A	SG0130ASH1	GEN888P
Diesel SD	135	563A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	9.89 GPH	600A	SD0135ADH1	GEN670
Quiet Test	150	625A	HTS	Steel	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	700A	QT15068ANSNF1	GEN381
Quiet Test	150	625A	HTS	Alumi	Nat Gas	6.8L V10	3600	2666	116L x 37W x 55H	2061 CFH	700A	QT15068ANANF1	GEN386
Quiet Test	150	625A	HTS	Steel	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	700A	QT15068AVSNF1	GEN381P
Quiet Test	150	625A	HTS	Alumi	Propane	6.8L V10	3600	2666	116L x 37W x 55H	22.57 GPH	700A	QT15068AVANF1	GEN386P

**Better Light & Power**  
**2140 West Henrietta Road**  
**Rochester, NY 14623**

**Phone: 585-475-1321 or 800-475-1321**  
**Fax: 585-424-1190 or 800-475-4448**  
**Email: Info@BetterPower.biz**

**Eugene Henn, President**  
**Catherine S. Henn, CFO/CIO**  
**WPL © 04-06-09 BL&P**

<b>Section 1, Continued: 120/240V Single Phase -- 7kW-200kW -- Standby Permanent Generators</b>														
Manufacturer	Rated for		Req.	Type of	Engine	Load	Full	Dimensions	Full	Gen	Manufacturer	BL&P		
	Continuous	Amp	(not incl.)											Load
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU	
QT-NFPA	150	625A	HTS	Steel	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	700A	QTA15068ANSNAH1	GEN184	
QT-NFPA	150	625A	HTS	Alumi	Nat Gas	6.8L V10	3600	4600	116L x 37W x 55H	2061 CFH	700A	QTA15068ANANAH1	GEN115	
QT-NFPA	150	625A	HTS	Steel	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	700A	QTA15068AVSNAH1	GEN184P	
QT-NFPA	150	625A	HTS	Alumi	Propane	6.8L V10	3600	4600	116L x 37W x 55H	22.57 GPH	700A	QTA15068AVANAH1	GEN115P	
Diesel SD	150	625A	GTS	Steel	Diesel	6.8L	1800	5600	132L x 41W x 64H	10.83 GPH	700A	SD0150ADH1	GEN680	
Industrial	150	625A	GTS	Steel	Nat Gas	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	700A	SG0150ASH1	GEN892	
Industrial	150	625A	GTS	Steel	Propane	6.8L	3600	2950	154L x 41W x 63H	1668 CFH	700A	SG0150ASH1	GEN892P	
Industrial	150	625A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	700A	SG0150ASH1	GEN571	
Industrial	150	625A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	1850 CFH	700A	SG0150ASH1	GEN571P	
Diesel SD	180	750A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	12.8 GPH	800A	SD0180ADH1	GEN686	
Diesel SD	200	833A	GTS	Steel	Diesel	6.8L	1800	7250	168L x 50W x 67H	14.2 GPH	900A	SD0200ADH1	GEN690	
Industrial	200	833A	GTS	Steel	Nat Gas	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	900A	SG0200ASH1	GEN576	
Industrial	200	833A	GTS	Steel	Propane	13.3L	1800	6500	202L x 58W x 77H	2630 CFH	900A	SG0200ASH1	GEN576P	
<b>120/240V Single Phase -- Automatic Transfer Switches -- Type RTS</b>														
Switch Only	100A	RTS	NEMA-3R					26	24H x 20W x 7D			RTSN100A3F1	GEN090	
With 8-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSD100A1F1	GENRTSD	
With 10-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSF100A1F1	GENRTSF	
With 12-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSH100A1F1	GENRTSH	
With 14-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSP100A1F1	GENRTSP	
With 16-Circ Load Ctr	100A	RTS	NEMA-1					30	27L x 13W x 7D			RTSW100A1F1	GENRTSW	
With Serv Ent Breaker	100A	RTS	NEMA-3R					42	24H x 16W x 7D			RTSE100A3F1	GEN094	
Switch Only	200A	RTS	NEMA-3R					48	20H x 15W x 7D			RTSN200A3F1	GEN299	
With Serv Ent Breaker	200A	RTS	NEMA-3R					50	24H x 16W x 7D			RTSE200A3F1	GEN303	
Serv Ent W/ Load Shed	200A	RTS	NEMA-3R - 17-48kW					50	24H x 16W x 7D			RTSS200A3F1	GENRTSS	
Switch Only	400A	RTS	NEMA-3R					95	36H x 24W x 10D			RTSN400A3F1	GEN301	
With Serv Ent Breaker	400A	RTS	NEMA-3R					95	36H x 24W x 10D			RTSE400A3F1	GEN296	
GenReady Basic Load Center	125A	RTS	NEMA-1					46	44H x 16W x 4D			5448F1	GEN5448	
GenReady Adv. Load Center	125A	RTS	NEMA-1 - max 125A/30kW					50	44H x 16W x 4D			5449F1	GEN5449	
EZ Transfer Operator			max 125A/30kW									5447F1	GEN5447	
<b>120/240V Single Phase -- Automatic Transfer Switches -- Type HTS</b>														
Switch Only	100A	HTS	NEMA-1 Indoor Only					105	36H x 24W x 10D			HTSN100A1CF1	GEN391	
Switch Only	150A	HTS	NEMA-1 Indoor Only					110	36H x 24W x 10D			HTSN150A1CF1	GEN401	
Switch Only	200A	HTS	NEMA-1 Indoor Only					110	36H x 24W x 10D			HTSN200A1CF1	GEN411	
Switch Only	300A	HTS	NEMA-1 Indoor Only					130	36H x 24W x 10D			HTSN300A1CF1	GEN421	
Switch Only	400A	HTS	NEMA-1 Indoor Only					130	36H x 24W x 10D			HTSN400A1CF1	GEN431	
Switch Only	600A	HTS	NEMA-12 Indoor Only					650	66H x 36W x 20D			HTSN600A4CF1	GEN441	
Switch Only	800A	HTS	NEMA-12 Indoor Only					680	66H x 36W x 20D			HTSN800A4CF1	GEN446	
Switch Only	100A	HTS	NEMA-3R In/Out					105	36H x 24W x 10D			HTSN100A3CF1	GEN396	
Switch Only	150A	HTS	NEMA-3R Indoor/Outdoor					110	36H x 24W x 10D			HTSN150A3CF1	GEN406	
Switch Only	200A	HTS	NEMA-3R Indoor/Outdoor					110	36H x 24W x 10D			HTSN200A3CF1	GEN416	
Switch Only	300A	HTS	NEMA-3R Indoor/Outdoor					130	36H x 24W x 10D			HTSN300A3CF1	GEN426	
Switch Only	400A	HTS	NEMA-3R Indoor/Outdoor					130	36H x 24W x 10D			HTSN400A3CF1	GEN436	
Switch Only	600A	HTS	NEMA-3R Indoor/Outdoor					650	66H x 36W x 20D			HTSN600A3CF1	GEN451	
Switch Only	800A	HTS	NEMA-3R Indoor/Outdoor					680	66H x 36W x 20D			HTSN800A3CF1	GEN456	
<b>Better Light &amp; Power</b>							<b>Phone:</b>	<b>585-475-1321 or 800-475-1321</b>				<b>Eugene Henn, President</b>		
<b>2140 West Henrietta Road</b>							<b>Fax:</b>	<b>585-424-1190 or 800-475-4448</b>				<b>Catherine S. Henn, CFO/CIO</b>		
<b>Rochester, NY 14623</b>							<b>Email:</b>	<b>Info@BetterPower.biz</b>				<b>Sec. 1, Page 4</b>		
												<b>WPL © 04-06-09 BL&amp;P</b>		

<b>Section 1, Continued: 120/240V Single Phase -- Automatic Transfer Switches -- Type GTS</b>															
Manufacturer	Rated for		Req.	Type of	Engine	Full Load	Dimensions	Full Load	Gen Brkr	Manufacturer	BL&P				
	Continuous	Amp	(not incl.)									Switch	Encl	Fuel	Size
Series	kW	Amp	Switch	Encl	Fuel	Size	RPM	Wgt	L x W x H	CFH/GPH	Amp	Model #	SKU		
Switch Only		100A	GTS		NEMA-1 Indoor Only			180	36H x 24W x 10D			GTS010W-2A2LDNANF1	GEN540		
Switch Only		150A	GTS		NEMA-1 Indoor Only			185	36H x 24W x 10D			GTS015W-2A2LDNANF1	GEN543		
Switch Only		200A	GTS		NEMA-1 Indoor Only			185	36H x 24W x 10D			GTS020W-2A2LDNANF1	GEN546		
Switch Only		300A	GTS		NEMA-1 Indoor Only			245	36H x 24W x 10D			GTS030W-2A2LDNANF1	GEN549		
Switch Only		400A	GTS		NEMA-1 Indoor Only			245	36H x 24W x 10D			GTS040W-2A2LDNANF1	GEN552		
Switch Only		600A	GTS		NEMA-1 Indoor Only			650	66H x 36W x 20D			GTS060N-2A2LDNBNF1	GEN555		
Switch Only		800A	GTS		NEMA-1 Indoor Only			700	66H x 36W x 20D			GTS080N-2A2LDNBNF1	GEN558		
Switch Only		1000A	GTS		NEMA-1 Indoor Only			700	66H x 36W x 20D			GTS100N-2A2LDNBNF1	GEN561		
Switch Only		100A	GTS		NEMA-3R In/Out			180	36H x 24W x 10D			GTS010W-2A2LDNCNF1	GEN739		
Switch Only		150A	GTS		NEMA-3R In/Out			185	36H x 24W x 10D			GTS015W-2A2LDNCNF1	GEN743		
Switch Only		200A	GTS		NEMA-3R In/Out			185	36H x 24W x 10D			GTS020W-2A2LDNCNF1	GEN747		
Switch Only		300A	GTS		NEMA-3R In/Out			245	36H x 24W x 10D			GTS030W-2A2LDNCNF1	GEN751		
Switch Only		400A	GTS		NEMA-3R In/Out			245	36H x 24W x 10D			GTS040W-2A2LDNCNF1	GEN755		
Switch Only		600A	GTS		NEMA-3R In/Out			650	66H x 36W x 20D			GTS060N-2A2LDNCNF1	GEN759		
Switch Only		800A	GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS080N-2A2LDNCNF1	GEN763		
Switch Only		1000A	GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS100N-2A2LDNCNF1	GEN767		
4-Pole Switch Only		100A	GTS		NEMA-3R In/Out			180	36H x 24W x 10D			GTS010W-3A2LDNANF1	GEN694R		
4-Pole Switch Only		150A	GTS		NEMA-3R In/Out			185	36H x 24W x 10D			GTS015W-3A2LDNANF1	GEN698R		
4-Pole Switch Only		200A	GTS		NEMA-3R In/Out			185	36H x 24W x 10D			GTS020W-3A2LDNANF1	GEN702R		
4-Pole Switch Only		300A	GTS		NEMA-3R In/Out			245	36H x 24W x 10D			GTS030W-3A2LDNANF1	GEN706R		
4-Pole Switch Only		400A	GTS		NEMA-3R In/Out			245	36H x 24W x 10D			GTS040W-3A2LDNANF1	GEN710R		
4-Pole Switch Only		600A	GTS		NEMA-3R In/Out			650	66H x 36W x 20D			GTS060N-3A2LDNBNF1	GEN714R		
4-Pole Switch Only		800A	GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS080N-3A2LDNBNF1	GEN718R		
4-Pole Switch Only		1000A	GTS		NEMA-3R In/Out			700	66H x 36W x 20D			GTS100N-3A2LDNBNF1	GEN722R		
<b>Options &amp; Accessories -- for Standby Permanent Generators</b>															
Manufacturer											Manufacturer	BL&P			
Series			Description				Manufacturer				Model #	SKU			
Options			Verifies self-test performed				Transtar				GSV300F1	GSV300			
Options			3 Minute Time Delay				SymCom				3503F1	SYM003			
Options			Aux. Transfer Switch Contact				Generac				5621F1	GEN5621			
Options			Remote Wireless - Home Monitor				Generac				5636F1	GEN5636			
Options			Air-Cooled Gen Transport Cart				Generac				5685F1	GEN5685			
Options			Strip Heater for Transfer Sw				EPS				STRHTRSF1	EPS003			
Options			36" Tank Adder 10-40kW Diesel				Generac				T1040F1	GEN937			
Options			36" Tank Adder 60-100kW Diesel				Generac				T60100F1	GEN938			
Options			Low Sound Encl SD 10-50kW				Generac				LSE1050F1	GEN940			
Options			Low Sound Encl SD 60kW				Generac				LSE60F1	GEN941			
Options			Low Sound Encl SD 80-100kW				Generac				LSE80100F1	GEN942			
Options			Low Sound Encl SD 135-200kW				Generac				LSE135200F1	GEN943			
<b>Better Light &amp; Power</b>					<b>Phone: 585-475-1321 or 800-475-1321</b>					<b>Eugene Henn, President</b>					
<b>2140 West Henrietta Road</b>					<b>Fax: 585-424-1190 or 800-475-4448</b>					<b>Catherine S. Henn, CFO/CIO</b>					
<b>Rochester, NY 14623</b>					<b>Email: Info@BetterPower.biz</b>					<b>Sec. 1, Page 5</b>					
										<b>WPL © 04-06-09 BL&amp;P</b>					

<b>Section 1, Continued: Options &amp; Accessories -- for Standby Permanent Generators</b>									
Manufacturer Series	Description	Manufacturer	Model #	BL&P SKU					
Options	Low Sound Encl SD 230-300kW	Generac	LSE230300F1	GEN944					
Options	Low Sound Encl SD 300-400kW/13L	Generac	LSE300400F1	GEN945					
Options	Low Sound Encl SD 500kW	Generac	LSE500F1	GEN946					
Options	Low Sound Encl SD 600kW	Generac	LSE600F1	GEN947					
Options	Low Sound Encl SG Ind. 35-45kW	Generac	LSEG3545F1	GEN948					
Options	Low Sound Encl SG Ind.70-150kW	Generac	LSEG70150F1	GEN949					
Options	LowSoundEncl SG Ind 150-300kW	Generac	LSEG150300F1	GEN950					
Battery Warmer Kits	AirCooled units mfr prior 4/08	Generac	5634F1	GEN5634					
Battery Warmer Kits	AirCooled units mfr after 4/08	Generac	5635F1	GEN5635					
Battery Warmer Kits	For 1.6L engines (18,20,25,30)	Generac	5629F1	GEN5629					
Battery Warmer Kits	For 2.4L engines (22,25,27,45)	Generac	5630F1	GEN5630					
Battery Warmer Kits	For 4.2L engines (35,36,45,48)	Generac	5631F1	GEN5631					
Battery Warmer Kits	For all Direct Drive units	Generac	5632F1	GEN5632					
Battery Warmer Kits	For Gear Drive units (100&130)	Generac	5633F1	GEN5633					
Block/Coolant Heater Kits	For 1.6L engines (18,20,25,30)	Generac	5615F1	GEN5615					
Block/Coolant Heater Kits	For 2.4L engines (22,25,27,45)	Generac	5616F1	GEN5616					
Block/Coolant Heater Kits	For 4.2L engines (35,36,45,48)	Generac	5618F1	GEN5618					
Block/Coolant Heater Kits	For the 60kW w/ 3.0L engine	Generac	5617F1	GEN5617					
Block/Coolant Heater Kits	For the 80kW w/ 4.6L engine	Generac	5619F1	GEN5619					
Block/Coolant Heater Kits	For the 70kW, 100kW, & 130kW	Generac	5620F1	GEN5620					
Block/Coolant Heater Kits	For the 150kW	Generac	5667F1	GEN5667					
Remote Annunciator Panel	For H-100/21 lt/Surface Mt	Generac	5465F1	GEN082					
Remote Annunciator Panel	For H-100/21 lt/8 dry/Surf Mt	Generac	5464F1	GEN084					
Remote Annunciator Panel	For H-100/8 func relay/Surf Mt	Generac	5466F1	GEN086					
PowerMaster	Load Pref. Controller to 60kW	Generac	5239F1	GEN105					
<b>Warranties, Services and Software -- for Standby Permanent Generators</b>									
Note: Generac Warranty requires use of Generac-brand parts only.									
Extended Warranty	5 Years	For 8-40kW Generators	Generac	COMP5-40	GEN1002				
Extended Warranty	5 Years	For 41-100kW Generators	Generac	COMP5-100	GEN1003				
Extended Warranty	5 Years	For 101-150kW Generators	Generac	COMP5-150	GEN1004				
Extended Warranty	5 Years	For 151-400kW Generators	Generac	COMP5-400	GEN1005				
Extended Warranty	5 Years	For 30-104A Transfer Switches	Generac	COMP5-104A	GEN1008				
Extended Warranty	5 Years	For 105-260A TransferSwitches	Generac	COMP5-260A	GEN1009				
Extended Warranty	5 Years	For 400-800A TransferSwitches	Generac	COMP5-800A	GEN1010				
Extended Warranty	5 Years	For 1000A Transfer Switches	Generac	COMP5-1000A	GEN1011				
Services		On-Site Visit Review Service		SVR001					
Services		On-Site Visit Extra Mileage		SVR002					
Services		On-Site Visit Extra Time		SVR003					
Services		Startup Visit Extra Mileage		STS003					
Services		Startup Visit Extra Time		STS004					
Software		0E9062B Generac GenLink Kit	Generac	GEN471					
Software		0F7707 Generac Serial Cable	Generac	GEN472					
Software		0E2144 Generac Modem	Generac	GEN473					
<b>Better Light &amp; Power</b>			<b>Phone: 585-475-1321 or 800-475-1321</b>			<b>Eugene Henn, President</b>			
<b>2140 West Henrietta Road</b>			<b>Fax: 585-424-1190 or 800-475-4448</b>			<b>Catherine S. Henn, CFO/CIO</b>			
<b>Rochester, NY 14623</b>			<b>Email: Info@BetterPower.biz</b>			<b>Sec. 1, Page 6</b>			
						<b>WPL © 04-06-09 BL&amp;P</b>			